Author Index To Volumes 70–100

including article titles

A

Abart, E.M.
Decision making strategy for handling biocides. Experience at Yuma Desalting Plant (Yuma, AZ, USA) 97(1994)437
Abaticchio, P., Bottino, A., Camera Roda, G., Capanelli, G. and Munari, S.
Characterization of ultrafiltration polymeric membranes 78(1990)235
Abdalla, W.E., see Hamed, O.A. 93(1993)563
Abdel–Aal, H.K. and Al–Naafa, M.A.
Enhanced evaporation of saline water in multi–purpose solar desalination units 93(1993)557
Abdel–Jawad, M., see Al Borno, A.Y. 74(1989)3
Abdel–Jawad, M., see Carew, J. 74(1989)85
Abdel–Jawad, M., see Carew, J.A. 95(1994)53
Abdel–Jawad, M., see Darwish, B.A.Q. 74(1989)125
Abdel–Jawad, M., see Darwish, B.A.Q. 75(1989)55
Abdel–Jawad, M., see Darwish, M.A. 72(1989)367
Abdel–Jawad, M., see Darwish, M.A. 72(1989)381
Abdel–Jawad, M., see Darwish, M.A. 75(1989)25
Abdel–Jawad, M., see Darwish, M.A. 76(1989)281
Abdel–Jawad, M., see Darwish, M.A. 76(1989)305
Abdel–Jawad, M., see Darwish, M.A. 78(1990)313
Abdel–Jawad, M., see Ebrahim, S. 99(1994)39
Abdel–Jawad, M., see Ghabris, A.H. 75(1989)213
Abdel–Jawad, M. and Darwish, M.A.
Simplified analysis of transport in reverse osmosis hollow fiber membranes 75(1989)97
Abdel–Jawad, M. and Ebrahim, S.
Beachwell seawater intake as feed for an RO desalting system 99(1994)57
Abdo, M.S.E., see Al–Enezi, G.A. 95(1994)1
Abdul–Aleem, B.J., see Ahmad, Z. 95(1994)307
Abdul–Majid, S.
Applications of neutron back–diffusion technique for wall thickness and scale measurements at desalination or chemical plants 94(1993)101
Abdul–Majid, S.
Determination of scale thickness and general and localized metal removal in desalination plants by the gamma ray interaction method 91(1993)35
Abdul–Majid, S. and Dawood U.
Measurement of localized metal removal in pipes by gamma–ray back–scattering method 75(1989)185
Abdul–Majid, S. and Dawood U.
Neutron–capture gamma–ray technique for scale identification inside pipes 75(1989)199
Abdula'aly, A.I. and Chammem, A.A.
Groundwater treatment in the central region of Saudi Arabia 96(1994)203
Abdulbary, A.F., Lai, L.L., Al–Gobaisi, D.M.K. and Husain, A.
Experience of using the neural network approach for identification of MSF desalination plants 92(1993)323
Abdullah, R., see Al–Hoti, B.A. 75(1989)329
Abdulraheem, M.Y.
Environmental policies at the national levels: the role of EDP and ROPME 72(1989)225
Abdulraheem, M.Y.
Health considerations in using treated industrial and municipal effluents for irrigation 72(1989)81
Abdus Samad, M.
Operational problems in the solar desalination plant and its remedies 93(1993)615
Aboudher, A., see Pareek, N.K. 73(1989)417
Aboughalya, E.–D., Crins, M.J., Kupitz, J., Tusel, G.F. and Wangnick, K.
Need and feasibility of nuclear desalination for low cost potable water production 81(1991)505
Abu–Rizaiza, O.S. and Sarikaya, H.Z.
Drainage water reuse or disposal, Jeddah, Saudi Arabia 98(1994)173
Abu–Safiah, A.
Failure of sections and components in seawater reverse osmosis plants 84(1991)309

0011-9164/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved
PII S0011-9164(96)00016-1

Abu–Safiah, A.
Material selection for the high pressure section of seawater reverse osmosis plants 84(1991)279
Abualhamayel, H.I., see Gandhidasan, P. 99(1994)137
Abueida, K.S., see Rebagliati, S. 75(1989)149
Abulnour, A.G., see Sorour, M.H. 86(1992)63
Adams, W.R.
The effect of chlorine dioxide on reverse osmosis membranes 78(1990)439
Adhikari, R.S. and Kumar, A.
Transient simulation studies on a multi–stage stacked tray solar still 91(1993)1
Adhikari, S.K., see Narayanan, P.K. 84(1991)201
Adhikari, S.K., Narayanan, P.K., Thampy, S.K., Dave, N.J., Chauhan, D.K. and Indusekhar, V.K.
Desalination of brackish water of higher salinity by electrodialysis 84(1991)189
Adhikary, S.K., Tipnis, U.K., Harkare, W.P. and Govindan, K.P.
Defluoridation during desalination of brackish water by electrodialysis 71(1989)301
Afonso, M.D. and De Pinho, M.N.
Ultrafiltration of bleach effluents in cellulose production 79(1990)115
Afonso, M.D. and Norbeta de Pinho, M.
Membrane separation processes in the pulp and paper industry 85(1991)53
Agashichev, S.P., see Dytnersky,Yu.I. 81(1991)265
Agashichev, S.P. and Sivakov, A.V. Modeling and calculation of temperature–concentration polarisation in the membrane distillation process (MD) 93(1993)245
Aguirre, P., see Scenna, N.J. 81(1991)419
Ahlgren, R.M.
Potential for water reuse in conjunction with desalination systems 75(1989)315
Ahlgren, R.M. and Smith, I.
Review of large desalination plant experience in the Americas 73(1989)247
Ahmad, Z. and Abdul Aleem, B.J.
The corrosion performance of 90–10 cupronickel in Arabian Gulf water 95(1994)307
Ahmed, A.M. and Moch, Jr.
Seawater reverse osmosis – a study in use 82(1991)3
Ahmed, K.A., see Hamed, O.A. 96(1994)103
Ahmed, S.R., Alansari, M.S. and Kanner, T.
Biological fouling and control at Ras Abu Jarjur R.O. Plant – a new approach 74(1989)69
Ai–lian, L. and Qing, C.
Polyacrylonitrilic/polysulfone (PAN/PS) blend ultrafiltration (UF) membranes 101(1995)51
Aidrous, A., see Herrmann, D. 92(1993)171
Aidrous, A., see Herrmann, D. 92(1993)185
Akkad, A.A.
Water conservation in arid and semi–arid regions 72(1989)185
Al–Abbasi, M.A., Karaghouli, A.A and Minasian, A.N.
Photochemically assisted solar desalination of saline water 86(1992)317
Al–Abdulhadi, M., see Maheshwari, G.P. 101(1995)133
Al–Ahmad, M. and Aleem,F.A.
Scale formation and fouling problems and their predicted reflection on the performance of desalination plants in Saudi Arabia, 96(1994)409
Al–Ahmad, M. and Aleem, F.A.
Scale formation and fouling problems effect on the performance of MSF and RO desalination plants in Saudi Arabia 93(1993)287
Al–Ahmad, M.S., see Darwish, M.A. 89(1993)289
Al–Ahmed, M.I., see Al–Mutaz, I.S. 73(1989)181
Al–Ahmed, M.Sh. and Darwish, M.A.
Second law analysis of multi–effect and MSF desalination plants 81(1991)449
Al–Ajlan, A.M., see Al–Zahrani, S. 97(1994)17
Al–Alawi, A., see Khalaf, S. 96(1994)273
Al–Ambuky, A.H. and Danial, K.H.
A flexible data acquisition and monitoring system 92(1993)271
Al–Amri, M.M.I., see Hassan, A.M. 74(1989)37
Al–Ansari, N., see Khater, A. 97(1994)281
Al–Arifi, A., El–Dahshan, M.E. and Hazzaa, M.I.
The effect of molybdenum on the corrosion behaviour of steel alloy in sea water 97(1994)77
Al–Arrayedh, M., Burashid, K. and Almansoor, K.
RAJJ RO plant operational costs optimization 97(1994)235
Al–Atiqi, I.M., Ghabris, A.H. and Ebrahim, S.
System identification and control of reverse osmosis desalination 75(1989)119
Al–Awadi, F.M., see Latif, N.A. 74(1989)205

Al–Azzar, A., Abrams, J., Zaczek, S. and Awerbuch, L.
Jeddah stack emissions – Problems and solutions 73(1989)459
Al–Baghdadi, A.M.
Feasibility of installing back pressure turbine at Umm Al Nar East station 93(1993)147
Al–Bakeri, F. and El Hares, H.
Optimization of sponge ball cleaning system operation and design in MSF plants 92(1993)353
Al–Bakeri, F., El Hares, H.
Experimental optimization of sponge ball cleaning system operation in Umm Al Nar MSF desalination plants 94(1993)133
Al–Bastaki, N.M. and Al–Qahtani, H.I.
Assessment of thermal effects on the reverse osmosis of salt/water solutions by using a spiral wound polyamide membrane 99(1994)159
Al–Bastaki, N.M.S.
Behavior of stepped GRP shells used in the reverse osmosis permeators for the water desalination process 94(1993)307
Al–Bastaki, N.M.S., see Al–Qahtany, H.I. 101(1995)177
Al–Borno, A.Y. and Abdel–Jawad, M.
Conventional pretreatment of surface seawater reverse osmosis application, state of the art 74(1989)3
Al–Enezi, G.A., Shaban, H. and Abdo, M.S.E.
Total organic carbon reduction of phenol–containing wastewaters by oxidation techniques 95(1994)1
Al–Fozan, S.A., see Malik, A.U. 97(1994)171
Al–Fozan, S.A., see Malik, A.U. 97(1994)199
Al–Gobaisi, D.M.K.
Conceptuel specification for improved automation and total process care in large–scale desalination plants of the future 95(1994)287
Al–Gobaisi, D.M.K., see Abdulbary, A.F. 92(1993)323
Al–Gobaisi, D.M.K., see Al–Radif, A. 84(1991)45
Al–Gobaisi, D.M.K., see Husain, A. 92(1993)21
Al–Gobaisi, D.M.K., see Husain, A. 92(1993)43
Al–Gobaisi, D.M.K., see Kurdali, A. 92(1993)295
Al–Gobaisi, D.M.K., see Rao, G.P. 97(1994)507
Al–Gobaisi, D.M.K.
A quarter–century of seawater desalination by large multistage flash plants in Abu Dhabi (Plant performance analysis, assessment, present efforts toward enhancement and future hopes) 99(1994)483
Al–Gobaisi, D.M.K., Barakzai, A.S. and El–Nashar, A.M.
An overview of modern control strategies for optimizing thermal desalination plants 84(1991)3
Al–Gobaisi, D.M.K., Barakzai, A.S., Aziz, M.A. and Hassan, A.
Manageable automation systems for power and desalination plants 92(1993)211
Al–Gobaisi, D.M.K., Hassan, A., Rao, G.P., Sattar, A., Woldai, A. and Borsani, R.
Towards improved automation for desalination processes. Part I: Advanced control 97(1994)469
Al–Hamdan, A., see Hassan, A.M. 74(1989)37
Al–Hawaj, O. and Darwish, M.A.
A solar pond assisted multi–effect desalting system 99(1994)119
Al–Hawaj, O. and Darwish, M.A.
Performance characteristics of a multi effect solar pond desalting system in an arid environment 96(1994)3
Al–Homoud, A.A., see Suri, R.K. 71(1989)165
Al–Hoti, B.A.
A predictive model to find the optimum chlorine treatment scenario for biofouling control 74(1989)227
Al–Hoti, B.A. and Abdullah, R.
Reuse of collected stormwater runoff for irrigation in Kuwait 75(1989)329
Al–Hussain, M.A., see Al–Sofi, M.A.K. 96(1994)313
Al–Jardan, A.M., see Al–Zahrani, S. 97(1994)17
Al–Jarrah, S., see Hassan, A.M. 74(1989)37
Al–Kebti, F.S., Isnasious, E.Z. and Al Mahyas, A.M.
Practical observations on reverse osmosis plants including raw water contamination problems, different intake stations and permeator performance 93(1993)259

Al–Khadafi, A.A. and Howarth, D.A.
Wastewater reclamation and reuse in Europe, Middle East and North Africa 75(1989)289
Al–Lian, L., Yong–Zhuang, Z., Shi–Yao, B. and Song–Chun, F.
An acrylonitrile copolymer material for membrane manufacture. III. Manufacture of a co–mixed UF membrane of AN–MMA binary copolymer and polyvinyl chloride 86(1992)291
Al–Lohibi, T., see Hassan, A.M. 74(1989)37
Al–Mahyas, A.M., see Al Kebti, F.S. 93(1993)259
Al–Marafie, A.M.R., see Suri, R.K. 71(1989)165
Al–Marafie, A.M.R. and Darwish, M.A.
Water production in Kuwait – its management and economics 71(1989)45
Al–Marafie, A.M.R.
Prospects of hybrid RO–MSF desalting plants in Kuwait 72(1989)395
Al–Munayyis, A., see Al–Rqobah, H. 73(1989)295
Al–Mutaz, I.S., see Al–Zahrani, A.E.S. 75(1989)15
Al–Mutaz, I.S.
Evaluation of energy recovery in reverse osmosis desalination plants 82(1991)142
Al–Mutaz, I.S.
Operation of dual MSF desalination at water / power peak demand 84(1991)105
Al–Mutaz, I.S.
Treated wastewaters as a growing water resource for agriculture use 73(1989)27
Al–Mutaz, I.S. and Al–Ahmed, M.I.
Evaluation of solar powered desalination processes 73(1989)181
Al–Mutaz, I.S. and Soliman, M.A.
Dynamic behaviour of MSF desalination plants 84(1991)103
Al–Mutaz, I.S. and Soliman, M.A.
Optimum operation of steam–power cycle in dual MSF desalination plants 84(1991)104
Al–Mutaz, I.S. and Soliman, M.A.
Simulation of MSF desalination plants 74(1989)317
Al–Mutaz, I.S., Soliman, M.A. and Al–Zahrani, A.E.S.
Parametric study on the performance of hollow fiber modules 83(1991)373
Al–Mutaz, I.S., Soliman, M.A. and Daghthem, A.M.
Optimum design for a hybrid desalting systems 76(1989)177
Al–Naafa, M.A., see Abdel–Aal, H.K. 93(1993)557
Al–Najem, N.M., see Darwish, M.A. 74(1989)277
Al–Najem, N.M., see Darwish, M.A. 89(1993)289
Al–Nakshabandi, G.A., see Elshibini, F.Z. 72(1989)235
Al–Omram, A., see Al–Sofi, M.A.K. 73(1989)313
Al–Omran, A.A., see Al–Sofi, M.A.K. 96(1994)313
Al–Owais, A.A., Nijhawan, R.K. and Budhiraja, P.K.
Operational experience of once through MSF desalination units 73(1989)327
Al–Qahtani, H.I., see Al–Bastaki, N.M. 99(1994)159
Al–Qahtany, H.I. and Al–Bastaki, N.M.S.
Effect of aging on the performance of RO hollow fiber membranes in a section of an RO plant 101(1995)177
Al Radif, A., see Al–Sum, E.A. 97(1994)109
Al–Radif, A.
Review of various combinations of a multiple effect desalination plant (MED) and thermal vapour compression unit 93(1993)119
Al–Radif, A., see Borsani, R. 96(1994)325
Al–Radif, A., see Husain, A. 92(1993)21
Al–Radif, A., see Husain, A. 97(1994)555
Al–Radif, A., Al–Gobaisi, D.M.K., El–Nashar, A.M. and Said, M.S.
Review of design and specifications of the world largest MSF units 4x(10–12.8 MIGD) 84(1991)45
Al–Radif, A., Borsani, R. and Sultan, H.
Selection of materials for Taweelah "B" MSF desalination plant project (6x10–12.7 migd) 97(1994)3
Al–Ramadhan, M., see Maheshwari, G.P. 101(1995)133
Al–Rqobab, H.A., see Darwish, B.A.Q. 75(1989)55
Al–Rqobah, H. and Al–Munayyis, A.
A recarbonation process for treatment of distilled water produces by MSF plants in Kuwait 73(1989)295
Al–Saati, A.J. and Khan, M.M.A.
Design, operation and maintenance problems of small RO treatment plants in Riyadh region, Saudia Arabia 82(1991)141

Al–Saleh, S.A. and Khan, A.R.
Comparative study of two anti–scale agents Belgard EVN and Belgard EV 2000 in multi–stage flash distillation plants in Kuwait 97(1994)97

Al–Saleh, S.A. and Khan, A.R.
Evaluation of Belgard EV 2000 as antiscalant control additive in MSF plants 97(1994)87

Al–Saqabi, A., see Dabbagh, T.A. 73(1989)3

Al–Shatti, I.
Towards the use of industrial wastewater for irrigation in Kuwait 72(1989)115

Al–Sofi, M.A.K.
Water scarcity – The challenge of the future 98(1994)425

Al–Sofi, M.A.K., Al–Hussain, M.A., Al–Omran, A.A. and Farran, K.M.
A full decade of operating experience on Al–Khobar–II multi–stage flash (MSF) evaporators (1982–1992) 96(1994)313

Al–Sofi, M.A.K., Khalaf, S. and Al Omram, A.
Practical experience in scale control 73(1989)313

Al–Sofi, M.A.K.
Integrated production of power and water 76(1989)89

Al–Sulaiman, K.M., see Kutbi, I.I. 97(1994)327

Al–Sum, E.A., Al–Radif, A. and Aziz, S.
Performance of materials used for the venting system in WED's desalination plants (MSF) 93(1993)517

Al–Sum, E.A., see Hassan, A. 84(1991)251

Al–Sum, E.A., see Hassan, A. 97(1994)131

Al–Sum, E.A., Aziz, S., Al Radif, A., Said, M.S. and Heikal, O.
Vapour–side corrosion of copper base condenser tubes of the MSF desalination plants of Abu Dhabi 97(1994)109

Al–Wazzan, Y., see Carew, J. 74(1989)85

Al–Wazzan, Y., see Carew, J.A. 95(1994)53

Al–Zahrani, A.E.S., see Al–Mutaz, I.S. 83(1991)373

Al–Zahrani, A.E.S., Soliman, M.A., Al–Mutaz, I.S.
An approximate analytical solution for the performance of reverse osmosis plants 75(1989)15

Al–Zahrani, H., Souma, S. and Eid, N.M.A.
Localized corrosion behavior in stainless structural steels weldments under desalination plant condition 84(1991)349

Al–Zahrani, S., Al–Ajlan, A.M. and Al–Jardan, A.M.
Using different types of anti–scalants at the Al–Jubail power and desalination plant in Saudi Arabia 97(1994)17

Al–Zubaidi, A.A.J.
Parametric cost analysis study of seawater reverse osmosis systems design in Kuwait 76(1989)241

Al–Zubaidi, A.A.J.
Technoeconomics of power/desalting cogeneration plants in Kuwait: A preliminary study 76(1989)121

Alabdula'aly, A.I and Chammem, A.A.
KACST mobile drinking water treatment plant for research 98(1994)71

Alansari, M.S., see Ahmed, S.R. 74(1989)69

Albers, W., see Larson, R. 73(1989)119

Aleem, F.A., see Al–Ahmad, M. 93(1993)287

Aleem,F.A., see Al–Ahmad, M. 96(1994)409

Alefeld, G., see Gregorzewski, A. 82(1991)145

Alhajii, J.N., see Reda, M.R. 94(1993)273

Ali Asbi, B. and Cheryan, M.
Optimizing process time for ultrafiltration and diafiltration 86(1992)49

Ali El Saie, M.H., El Kafrawi, M.S.I. and Kamel, M.I.
Study of the operating conditions for three large MSF desalination units each of capacity 7.2/8.6 MGD (27360/32832 tons/day) 73(1989)207

Ali El–Saie, M.H.
Desalination at the crossroads 78(1990)305

Ali El–Saie, M.H. and Ali El–Saie, Y.M.H.
Optimization of dual purpose steam power and MSF desalination plant 76(1989)155

Ali El–Saie, Y.M.H., see Ali El–Saie, M.H. 76(1989)155

Ali, G., Dalton, J.H. Judges, P.D. and Tao, C–H.
Reverse osmosis and ion exchange demineralizer system for Basrah Petrochemical Complex No. 1 76(1989)27

Ali, S.S.
Solar desalination in Sudan 93(1993)581
Allam, I.M., see Saricimen, H. 78(1990)327
Almansoor, K., see Al Arrayedh, M. 97(1994)235
Alvonitis, S., see Ben Boudinar, M. 86(1992) 273
Alvonitis, S., Hanbury, W.T. and Hodgkiess, T.
Chlorine degradation of aromatic polyamides 85(1992)321
Aly, G.S., see Darwish, B.A.Q. 74(1989)125
Aly, G.S., see Darwish, B.A.Q. 75(1989)55
Aly, G.S., see Darwish, M.A. 72(1989)367
Aly, G.S., see Darwish, M.A. 76(1989)281
Aly, G.S., see Darwish, M.A. 78(1990)313
Aly, G.S., see Ghabris, A.H. 75(1989)213
Aly, G.S., see Rimawi, M.A. 74(1989)327
Aly, S., see Hamed, O.A. 80(1991)1
Aly, S.E.
Analysis of a fuel solar assisted central dual purpose plant 82(1991)246
Aly, S.E.
Analysis of a fuel–solar assisted central dual purpose plant 78(1990)363
Aly, S.E.
Humidity water vapour collection by absorption cooling machines 73(1989)139
Aly, S.E., see Fathalah, K. 82(1991)245
Aly, S.E., see Madani, A.A. 75(1989)241
Aly, S.E.
Theoretical analysis of a novel modified recirculation multi–stage flash low temperature system 95(1994)189
Amin, A., see Habib, K. 85(1992)275
Amin Saad, M.
Biofouling prevention in RO polymeric membrane systems 88(1992)85
Ammerlaan, A.C.F., Franklin, J.C. and Moody, C.D.
Controlling loss of salt rejection and water flux at the Yuma Desalting Plant 96(1994)421
Ammerlaan, A.C.F., Franklin, J.C. and Moody, C.D. Yuma Desalting plant membrane degradation during test operations 88(1992)33
Andijani, I.N., see Malik, A.U. 97(1994)171
Andijani, I.N., see Malik, A.U. 97(1994)189
Anokhina, E.A., see Linnikov, O.D .89(1993)311
Aoki, T., see Oikawa, E. 101(1995)69
Aoki, T., see Oikawa, E. 94(1993)25
Aouad, N., see Chapotot, A. 101(1995)141
Applegate, L.E., Erkenbrecher, C.W., Jr. and Winters H.
New chloramine process to control aftergrowth and biofouling in PermasepR B–10 RO surface seawater plants 74(1989)51
Arain, R.A., see Shams El Din, A.M. 85(1991)13
Arnal, J.M., see Lora, J. 79(1990)261
Assimacopoulos, D., see Papafotiou, K. 82(1991)131
Audebert, R., see Baudin, I. 86(1992)237
Avlonitis, S., Hanbury, W.T. and Ben Boudinar, M.
Spiral wound modules performance. An analytical solution: Part II 89(1993)227
Avlonitis, S.,Hanbury, W.T. and Ben Boudinar, M.
Spiral wound modules performance. An analytical solution, Part 1. 81(1991)191
Awadhi, N.A., see Hamer, G. 72(1989)31
Awerbuch, L.
Perspective and challenges for desalination 99(1994)189
Awerbuch, L., see Chen, J. 97(1994)319
Awerbuch, L. and Daye, M.A.
Durability of concrete structures in the hostile service environment of desalination plants 97(1994)221
Awerbuch, L. and Weekes, M.C.
Disposal of concentrate from brackish water desalting plants by means of evaporation technology 78(1990)71
Awerbuch, L., May, S., Soo–Hoo, R. and V. Van der Mast.
Hybrid desalting systems 76(1989)189
Awn, A.A., see El–Haggar, S.M. 94(1993)55
Ayyash, Y., Imai, H., Yamada, T., Fukuda, T., Yanaga, Y. and Taniyama, T.
Performance of reverse osmosis membrane in Jeddah Phase 1 plant 96(1994)215
Aziz, M., see Rao, G.P. 97(1994)507
Aziz, M.A., see Al–Gobaisi, D.M.K. 92(1993)211
Aziz, M.A., see El–Sum, E.A. 92(1993)309
Aziz, S., see Al–Sum, E.A. 97(1994)109
Aziz, S., see Hassan, A. 84(1991)251
Aziz, S., see Hassan, A. 97(1994)131

Aziz, S., see Shams El Din, A.M. 97(1994)373
Aziz, S.A., see Osman, H. 93(1993)181

B

Baba, Y., see Fukuda, T. 97(1994)121
Badran, M.M H., see Khedr, M.G.A. 72(1989)351
Baggott, S.R. and Jaffer, A.
The application of a novel chemical treatment program to mitigate scaling and fouling in reverse osmosis units 83(1991)119
Bagwell Jr., T.H., see Downing, E.A. 99(1994)383
Bagwell Jr., T.H. and Price, M.K.
The interagency Consortium for Desalination and Membrane Separation Research 99(1994)195
Bagwell Jr., T.H., Shalewitz, B. and Coleman, A.
The Army water supply program: An overview 99(1994)409
Bai, J., see Fouda, A.E. 90(1993)209
Bairinji, R., see Ikeda, T. 98(1994)391
Bairinji, R., see Kurihana, M. 96(1994)133
Bakheet, L. M., see Hassan, A.M. 74(1989)37
Bal, A.S.
Cord membrane – a new reverse osmosis membrane configuration 83(1991)301
Bal, A.S., Malewar, C.G. and Vaidya, A.N.
Development of non–cellulosis membranes for wastewater treatment 83(1991)325
Balakin, V.M., see Linnikov, O.D. 74(1989)355
Banat, F.A. and Simandl, J.
Theoretical and experimental study in membrane distillation 95(1994)39
Bandini, S., Gostoli, C. and Sarti, G.C.
Role of heat and mass transfer in membrane distillation process 81(1991)91
Banks, H.
Water resources institutions and policies in arid regions 72(1989)217
Banks, R., see Fredkin, E. 75(1989)141
Bannoud, A.
The electrochemical way of removing the hardness of water 93(1993)545
Barabash, P.A., see Rifert, V.G. 74(1989)363
Barabash, P.A., see Rifert, V.G. 96(1994)183
Barakzai, A.S., see Al–Gobaisi, D.M.K. 84(1991)3
Barakzai, A.S., see Al–Gobaisi, D.M.K. 92(1993)211
Barba, D., Evangelista, F. and Marrelli, L.
A general thermodynamic tool for predicting salting coefficients of non–electrolytes in brackish or seawater 71(1989)289
Barba, D., Evangelista, F., Jonsson, G. and Marrelli, L.
An Analytical method for design of electrodialysis stacks operated at high concentrations 71(1989)137
Bargeman, D., see Neplenbroek, A.M. 79(1990)303
Barger, M. and Carnahan, R.P.
Fouling prediction in reverse osmosis processes 83(1991)3
Barinov, V.F., see Barinov, V.V. 88(1992)179
Barinov, V.V., Podbereznji, V.L., Mogilner, I.D. and Barinov, V.F.
The use of a qualitative method of control for some process parameters of distillation desalting plants 88(1992)179
Barthakur, N.N.
Electrohydrodynamic enhancement of evaporation from Nacl solutions 78(1990)455
Barthakur, N.N.
Electrostatically enhanced evaporation rates of saline water 74(1989)339
Barton, A., see Mc Gregor, I.D. 93(1993)387
Basile, A., see Gaeta, S.N. 80(1991)181
Baudin, I., Millequant, M., Ricard, A. and Audebert, R.
Adsorption of neutral polysaccharides at the silica–water interface. Role in the formation of a fouling cake at the filtration membrane surfaces used in water treatment 86(1992)237
Bauer, B., see Strathmann, H. 90(1993)303
Bauer, B., Strathmann, H. and Effenberger, F.
Anion–exchange membranes with improved alkaline stability 79(1990)125
Baumgartner, T., Jung, D. and Sizmann, R.
Open multiple effect desalination with low temperature process heat 81(1991)299
Bauser, H., see McDonogh, R.M. 79(1990)217
Beckman, J., see Larson, R. 73(1989)119

Begum, S., see Iman, S. 96(1994)119
Behling, R.D., see Fritsch, D. 90(1993)235
Bell, C.M., see Strathmann, H. 77(1990)259
Bell, C.M., see Strathmann, H. 90(1993)303
Belyshev, N.A., see Linnikov, O.D. 74(1989)355
Ben Aim, R., see Visvanathan, C. 71(1989)265
Ben Boudinar, M., see Avlonitis, S. 81(1991)191
Ben Boudinar, M., see Avlonitis, S. 89(1993)227
Ben Boudinar, M., Hanbury, W.T. and Alvonitis, S.
Numerical simulation and optimisation of spiral–wound modules 86(1992) 273
Bender, H., Hobler, M.M., Klinge, H. and Schelkes K.
Investigations of groundwater resources in Central Jordan 72(1989)161
Bengston, G., see Boddeker, K.W. 90(1993)249
Bertoni, G., see Saavedra, A. 82(1991)267
Bezuidenhout, D., see Immelman, E. 94(1993)115
Bezuidenhout, D., see Sanderson, R.D. 90(1993)15
Bhattacharyya, D., see Han, M.–J. 101(1995)195
Bikos, S.C. and Flower, J.R.
Preliminary design and energy analysis of evaporative desalination cascades 81(1991)483
Binot, R.A., see Madsen, R.F. 83(1991)123
Bisson, R.A.
Space–age integrated exploration and treatment of renewable regional sources of pristine groundwater in fractured rock "megawatersheds" 99(1994)257
Biware, M.V. and Ghatge, N.D.
Studies in piperazine containing poly(sulphone–amide)s for use in water desalination 101(1995)93
Blank, H.G. and Jackson, G.
AID's strategy for water resource management in the Middle East 99(1994)233
Bleha,M., Tishchenko,G., Sumberova,V. and Kudela,V.
Characteristic of the critical state of membranes in ED–desalination of milk whey 86(1992)173
Bloetscher, F., see Missimer, T.M. 87(1992)269
Boari, G., see Zannoni, R. 82(1991)337
Boddeker, K.W., Bengston, G. and Pingel, H.
Pervaporation using heated membranes 90(1993)249
Bodzek, M., see Konieczny, K. 79(1990)145
Bodzek, M. and Konieczny, K.
Characterization of gel layer formed during ultrafiltration of latex emulsion waste water 94(1993)81
Bodzek, M. and Konieczny, K.
Polyacrylonitrile and polyvinyl chloride ultrafiltration membranes in the treatment of anaphoretic emultion paint 80(1991)43
Bodzek, M. and Konievzky, K.
Modelling of the ultrafiltration of electrophoretic emulsion paint 94(1993)261
Bodzek, M. and Konievzky, K.
Optimization of the ultrafiltration of latex wastewaters 94(1993)289
Boglovsky, A.V. see Martynova, O.I. 83(1991)55
Boglowsky, A.V., see Martynova, O.I. 71(1989)337
Bohmer, H.
On–load tube cleaning systems and debris filters for avoidance of micro– and macrofouling in MSF desalination plants 93(1993)171
Bohner, A.
Solar desalination with a high efficiency multi effect process offers new facilities 73(1989)197
Bonacini, A., see Zannoni, R. 82(1991)337
Bonacini, A., see Zannoni, R. 82(1991)351
Bonet, J., see Henriquez, J.F. 82(1991)71
Bonev, B., see Mavrov, V. 83(1991)195
Bonev, B., see Mavrov, V. 85(1992)335
Borashid, K. and Kato, K.
Rehabilitation of desalination plants at Sitra Power Station, Bahrain 73(1989)277
Borden, J., see Brusilovsky, M. 86(1992)187
Borodkin, A.G., see Orlov, N.S. 84(1991)213
Borsani, R., see Al–Gobaisi, D.M.K. 97(1994)469
Borsani, R., see Al–Radif, A. 97(1994)3
Borsani, R., see Husain, A. 97(1994)555
Borsani, R., see Rao, G.P. 97(1994)507
Borsani, R., see Sommariva, C. 81(1991)309
Borsani, R., see Sommariva, C. 97(1994)53
Borsani, R., Bozzini, P., Germana, A., Pellufo, P. and Al–Radif, A.
12 migd multistage flash desalination plant – a challenge for the next years 96(1994)325
Borsteins, G., see Nerell, D.C. 88 (1992) 123
Bottino, A., see Abaticchio, P. 78(1990)235
Bottino, A., see Munari, S. 77(1990)85

Boudet–Dummy, M., see Lindheimer, A. 94(1993)151
Boudet–Dumy, M., see Pourcelly, G. 80(1991)193
Bowdoin, P., see Edwards, E. 78(1990)49
Bowen, P.T., see Fuqua, T.M. 88(1992)243
Bozzini, P., see Borsani, R. 96(1994)325
Brandani, P., see Di Giacomo, G. 91(1993)21
Brandani, P., see Giacomo, G.Di. 89(1992)185
Brandani, V., see Di Giacomo, G. 81(1991)249
Brandani, V., see Di Giacomo, G. 91(1993)21
Brandani, V., see Giacomo, G.Di. 89(1992)185
Brink, L.E.S. and Romijn, D.J.
Reducing the protein fouling of polysulfone surfaces and polysulfone ultrafiltration membranes: optimization of the type of presorbed layer 78(1990)209
Brouckaert, C.J., see Pillay, V.L. 71(1989)247
Bruno–Vega, A. and Thomas, K.S.
The Virgin Islands desalination experience 98(1994)443
Bruschke, H.E.A.
Removal of ethanol from aqueous streams by pervaporation 77(1990)323
Brusilovsky, M. and Hasson, D.
Prediction of reverse osmosis membrane salt rejection in multi–ionic solutions from single–salt data 71(1989)355
Brusilovsky, M., Borden, J. and Hasson, D.
Flux decline due to gypsum precipitation on reverse osmosis membranes 86(1992)187
Bryant, T., see Stuart, J. 75(1989)379
Buckley, C.A., see Pillay, V.L. 71(1989)247
Budhiraja, P.K., see Al–Owais, A.A. 73(1989)327
Buisson, H., see Dal–Cin, M.M. 101(1995)155
Burashid, K., see Al Arrayedh, M. 97(1994)235
Burkard, H.
Variable speed turbo couplings used for speed control of pumps for seawater desalination plants 82(1991)107
Buros, O.K.
Introduction to the problem of the disposal of desalting concentrates in Florida 78(1990)3
Buros, O.K. and Pyne, R.D.G.
Extending water supplies in water short areas 98(1994)437
Buros, O.K. and Yacoub, S.
Water supply and desalination in Northwestern Egypt 73(1989)47
Bushnak, Adil A.
Water supply challenge in the Gulf Region 78(1990)133

C

Cakl, J., see Mikulasek, P. 95(1994)211
Calabro, V., Drioli, E. and Filippo Mareta
Membrane distillation and wastewater treatment 83(1991)209
Calabro, V., Pantano, G., Kang, M., Molinari, R. and Drioli, E.
Experimental study on integrated membrane processes in the treatment of solutions simulating textile effluents. Energy and exergy analysis 78(1990)257
Camera Roda, G., see Abaticchio, P. 78(1990)235
Camera Roda, G., see Munari, S. 77(1990)85
Campbell, R.L. and Emerson, T.H.
A new water and power combination: vacuum vapor compression seawater distillation and natural gas fuel cells 99(1994)423
Caouris, Y.G., Kantsos, E.T. and Zagouras, N.G.
Economic aspects of low–temperature multi–effect desalination plants 71(1989)177
Capanelli, G., see Abaticchio, P. 78(1990)235
Capannelli, G., see Munari, S. 77(1990)85
Capes, C.E., see Dal–Cin, M.M. 101(1995)155
Carew, J.A., Abdel–Jawad, M. and Al–Wazzan, Y.
Evaluation of corrosion–resistant alloys for desalination applications 95(1994)53
Carew,J., Abdel–Jawad,M., Julka,A. and Al–Wazzan,Y.
Performance of materials used in seawater reverse osmosis plants 74(1989)85
Carnahan, R.P., see Barger, M. 83(1991)3
Carrigan, W.V., see Hess, G. 87(1992)55
Cartwright, P.S.
Zero discharge/water reuse. The opportunities for membrane technologies in pollution control 83(1991)225

Celenza, W.J., see Yeh, G.C. 81(1991)161
Chaibi, M.T., Safi, M.J. and Hsari, M.
Performance analysis of a solar desalting unit in South Tunisia 82(1991)197
Chakravorty, B. and Singh, D.P.
Concentration and purification of gelatin liquor by ultrafiltration 78(1990)279
Chammem, A.A., see Abdula'aly, A.I. 96(1994)203
Chammem, A.A., see Abdula'aly, A.I 98(1994)71
Chan, K., see Zhang, S.Q. 80(1991)211
Changluo, Z., Moie, L., Wei ,X. and Wenchang, J.
A study on characteristics and enhancement of pervaporation – membrane separation process 71(1989)1
Chapman, J.W., see Lozier, J.C. 88(1992)3
Chapotot, A., Lopez, V., Lindheimer, A., Aouad, N. and Gavach, C.
Electrodialysis of acid solutions with metallic divalent salts : cation–exchange membranes with improved permeability of protons 101(1995)141
Chapple, L., see Watson, B. 96(1994)369
Chauhan, D.K., see Adhikari, S.K. 84(1991)189
Chauhan, D.K., see Narayanan, P.K. 84(1991)201
Chebi, P.B., see Hamano, T. 96(1994)23
Chen, J., see Hamby, K. 76(1989)3
Chen, J., see Ji, J. 85(1992)297
Chen, J., Lu, H.S. and Awerbuch, L.
Seawater desalination to augment the water supply on Penghu Island, Taiwan 97(1994)319
Chen, Jiayan., Wang, Liancheng and Zhengyu, Zhu.
Preparation of enzyme immobilized membranes and their self–cleaning and anti–fouling abilities in proteins separations 86(1992)301
Chen, W.H., see Elimelech, M. 95(1994)269
Cheng, P., see Zhu, B. 90(1993)119
Cheng, R., Glater, J., Neethling, J.B. and Stenstrom, M.K.
The effects of small halocarbons on RO membrane performance 85(1991)33
Chereisky, Z.Yu., see Leksovskaia, N.P. 86(1992)91
Cherif, A.T., see Elmidaoui, A. 101(1995)39
Cheryan, M., see Ali Asbi, B. 86(1992)49
Chia, P.S., see Hodgkiess, T. 84(1991)267
Chida, K., see Pohland, H.W. 96(1994)303
Childs, W.D. and Dabiri, A.E.
Desalination cost savings of Vari–ROTM pumping technology 87(1992)109
Childs, W.D. and Dabiri, A.E.
Increased water production using a heat recovery engine for "direct drive" VARI–ROTM pumping 96(1994)81
Chiu, W.Y., see Hsieh, K.H. 71(1989)97
Chmiel, H., see McDonogh, R.M. 79(1990)217
Chu, M.–L., see Hsiue, G.–H. 71(1989)35
Ciuff, C.W.
Water harvesting systems in arid lands 72(1989)149
Clark, M.M. and Heneghan, K.S.
Ultrafiltration of lake water for potable water production 80(1991)243
Clausen, N.E.
Development of a plate evaporator/condenser for the mechanical vapour compression process 81(1991)399
Cluff, C.B.
Slow sand/nanofiltration treatment for secondary treated wastewater 88(1992)53
Colbourne, J.S., see Rachwal, A.J. 97(1994)427
Colella, C., see Pansini, M. 78(1990)287
Colella, C., see Pansini, M. 83(1991)145
Coleman, A., see Bagwell Jr., T.H. 99(1994)409
Coleman, A.J., see Downing, E.A. 99(1994)383
Colenutt, B.A., see Latif, N.A. 74(1989)205
Colon, W.J.
Historic development of the concentrate regulations 78(1990)11
Colon, W.J., see Smith, B.E. 78(1990)99
Colon, W.J., Hornburg, C.D., Watson, B.M. and Kiefer, C.A.
Membrane softening: The concept and its application to municipal water supply 78(1990)157
Comstock, D.L.
Desal–5 membrane for water softening 76(1989)61
Congjie, G., see Xueren, L. 96(1994)155
Congjie, G., Xueren, L. and Zhiguo, B.
Polysulfone amide (PSA) asymmetric reverse osmosis membrane 83(1991)271
Cooper, R.C., see Thompson, K. 88(1992)201

Correnti, S.J. see Yeh, G.C. 81(1991)129
Costa, M.L., see Dickson, J.M. 89(1992)63
Costa, M.L. and Dickson, J.M.
Modelling of modules and systems in reverse osmosis. Part I: Theoretical system design model development 80(1991)251
Craig Jr, J.C., see Dickey, L.C. 78(1990)397
Crerar, A.J. and Pritchard, C.L.
Wavepowered desalination: Experimental and mathematical modelling 81(1991)391
Crijns, M.J., see Kupitz, J. 99(1994)299
Crins, M.J., see Aboughalya, E.D. 81(1991)505

D

Dabbagh, T.A. and Al–Saqabi, A.
The increase demand for desalination 73(1989)3
Dabiri, A.E., see Childs, W.D. 87(1992)109
Dabiri, A.E., see Childs, W.D. 96(1994)81
Daghthem, A.M., see Al–Mutaz, I.S. 76(1989)177
Dal–Cin, M.M., Striez, C.N., Tweddle, T.A., Capes, C.E., McLellan, F. and Buisson, H.
Effect of adsorptive fouling on membrane performance: Case study with a pulp mill effluent 101(1995)155
Dalas, E. and Koutsoukos, P.G.
Calcium carbonate scale formation and prevention in flow–through system at various temperatures 78(1990)403
Dalton, J.H., see Ali, G. 76(1989)27
Damodaram, A., see Makkawi–Ahmed, B. 93(1993)365
Danial, K.H., see Al– Ambuky, A.H. 92(1993)271
Danielson, R.E., see Thompson, K. 88(1992)201
Dannish, S., see Khater, A. 97(1994)281
Darton, E.G., see McGlone, K.J. 96(1994)397
Darton. E.G. and Turner. A.G.
Operating experiences in a sea water RO plant in Gilbratar (1987–1990) 82(1991)51
Darwish, B.A., see Ebrahim, S.E. 74(1989)141
Darwish, B.A.Q., Abdel–Jawad, M. and Aly, G.S.
On the standartization of performance data for reverse osmosis desalination plants 74(1989)125
Darwish, B.A.Q., Aly, G.S., Al–Rqobab, H.A. and Abdel–Jawad, M.
Predictability of membrane performance of reverse osmosis systems for seawater desalination 75(1989)55
Darwish, M.A., see Abdel–Jawad, M. 75(1989)97
Darwish, M.A., see Al Hawaj, O. 96(1994)3
Darwish, M.A., see Al Hawaj, O. 99(1994)119
Darwish, M.A., see Al–Ahmed, M.Sh. 81(1991)449
Darwish, M.A., see Al–Marafie, A.M.R. 71(1989)45
Darwish, M.A., see Jabboury, B.G. 84(1991)106
Darwish, M.A., see Younis, M.A. 94(1993)11
Darwish. M.A.
Thermal analysis of multi–stage flash desalting systems 85(1991)59
Darwish, M.A., Abdel–Jawad, M.
Technical aspects of reducing desalting water cost by distillation methods 76(1989)305
Darwish, M.A., Abdel–Jawad, M. and Aly, G.S.
Comparison between small capacity mechanical vapor compression (MVC) and reverse osmosis (RO) desalting plants 78(1990)313
Darwish, M.A., Abdel–Jawad, M. and Aly, G.S.
Technical and economical comparison between large capacity MSF and RO desalting plants 76(1989)281
Darwish, M.A., Abdel–Jawad, M. and Aly, G.S.
Technical and economical comparison between large capacity multi stage flash and reverse osmosis desalting plants 72(1989)367
Darwish, M.A, Abdel–Jawad, M. and Hauge, L.J.
A new dual–function device for optimal energy recovery and pumping for all capacities of RO systems 75(1989)25
Darwish, M.A., Al Najem, N.M., Froment, T. and de Gunzbourg, J.
The Kuwait University Pilot plant: A single multi–effect plant to study the varation of evaporation parameters at different temperatures 74(1989)277
Darwish, M.A., Al–Najem, N.M. and Al–Ahmad, M.S.
Second–low analysis of recirculating multi–stage flash desalting system 89(1993)289

Darwish, M.A. and Abdel–Jawad, M.
Techical aspects of reducing desalting water costs in distillation methods 72(1989)381
Datta, N. and Guha, B.K.
Mass transfer limitations in a membrane module 89(1993)343
Davarsky, K., see Mavrov, V. 83(1991)289
Dave, A.M., see Velikova, S. 94(1993)1
Dave, N.J., see Adhikari, S.K. 84(1991)189
Dave, N.J., see Narayanan, P.K. 84(1991)201
Davenport, W.F.
Desalination? Decision making 99(1994)245
Dawood U., see Abdul–Majid, S. 75(1989)185
Dawood U., see Abdul–Majid, S. 75(1989)199
Daye, M.A., see Awerbuch, L. 97(1994)221
de Gennaro, M., see Pansini, M. 83(1991)145
de Gunzbourg, J., see Darwish, M.A. 74(1989)277
de Gunzbourg, J., see Gregorzewski, A. 82(1991)145
De Pinho, M.N., see Afonso, M.D. 79(1990)115
Dean, D.W., see Hammond, R.P. 99(1994)459
Dean, K.K.
The effect of the use of reclaimed water and high pressure effluent on plant operations at Hyperion treatment plant 88(1992)331
DeHan, R.S.
Current regulatory concerns related to the disposal of RO concentrates in Florida 78(1990)17
Del Bene, J.V., Jirka, G. and Largier, J.
Ocean brine disposal 97(1994)365
Del Re, G., see Di Giacomo, G. 81(1991)249
Del Re, G., see Di Giacomo, G. 91(1993)21
Del Re, G., see Di Giacomo, G. 89(1992)185
DeLeeuw, J., see Dickson, J.M. 99(1994)1
Deryde, X., see White, D.A. 84(1991)177
Desai, N.V., see Rangarajan, R. 85(1991)81
Deshpande, P.B., see Selvaraj, R. 101(1995)185
Deshpandey, P.B., see Husain, A. 97(1994)555
Dhiman, N.K.
Evaluation of optimum thickness of bottom insulation for a conventional solar still 78(1990)201
Di Giacomo, G., Brandani, P., Brandani, V. and Del Re, G.
Solubility of boric acid in aqueous solutions of chloride salts 91(1993)21
Di Giacomo, G., Brandani, V. and Del Re, G.
Evaporation of olive oil mill vegetation waters 81(1991)249
Dickey, L.C. and Craig Jr., J.C.
Determination of a liquid state from that of liquid solution coupled to it by a common vapor phase 78(1990)397
Dickson, J.M., see Costa, M.L. 80(1991)251
Dickson, J.M., Spencer, J. and Costa, M.L.
Dilute single and mixed solute systems in a spiral wound reverse osmosis module. Part I: theoretical model development 89(1992)63
Dickson, J.M., Whitacker, G., DeLeeuw, J. and Spencer, J.
Dilute single and mixed solute systems in a spiral wound reverse osmosis module. Part II. Experimental data and application of the model 99(1994)1
Dimitrijevic, S., see Ninic, N. 89(1993)263
Dobrevsky, I., see Mavrov, V. 85(1992)335
Dobrevsky, Iv. and St. Pavlova
Organic matter removal from natural waters by electrodialysis demineralization 86(1992)43
Docker, P., see Wong, P. 98(1994)225
Doi, S. and Hamanaka, K.
Pore size control technique in the spinning of polysulfone hollow fiber ultrafiltration membranes 80(1991)167
Domenech, S., see Floquet, P. 92(1993)1
Dong, D., see Wang, D. 99(1994)367
Dong Sheng–Hua , see Hou Tai–Ping 83(1991)343
Dong–Sheng, C., see Yu–Rong, L. 96(1994)145
Dotremont, C., Goethaert, S. and Vandecasteele, C.
Pervaporation behaviour of chlorinated hydrocarbons through organophilic membrane 91(1993)177
Dotremont, C., Van den Ende, S., Vandommele, H. and Vandecasteele, C.
Concentration polarization and other boundery layer effects in the pervaporation of chlorinated hydrocarbons 95(1994)91
Downing, E.A.
Force provider: an emergency response system 99(1994)401

Downing, E.A., Coleman, A.J. and Bagwell Jr., T.H.
US Army reverse osmosis membrane research programs 99(1994)383
Doyen, W., Leysen, R., Mottar, J. and Waes, G.
New composite tubular membranes for ultrafiltration 79(1990)163
Drioli, E., see Calabro, V. 78(1990)257
Drioli, E., see Calabro, V. 83(1991)209
Drioli, E., see Gaeta, S.N. 80(1991)181
Drioli, E., see Gaeta, S.N. 83(1991)383
Duputell, D., Staude, E. and Wyszynski, D.
Sorption of human albumin and endotoxin on uncharged and charged ultrafiltration membranes made from polysulfone and polyethersulfone 95(1994)75
Dutre, B. and Tragardg, G.
Macrosolute–microsolute separation by ultrafiltration: A review of diafiltration processes and applications 95(1994)227
Dytnersky, Yu.I. and Hojainov, Yu.
Extraction and utilisation of valuable components from ocean water 81(1991)261
Dytnersky, Yu.I., Romanenko, Yu.K. and Agashichev, S.P.
The calculation of microfiltration of suspensions in cardridge filters 81(1991)265
Dytnersky,Yu.I., Volchek,K.A. and Polyanskaya, N.B.
Separation of multicomponent solutions using reagent ultrafiltration 81(1991)273

E

Ebrahim, S.
Cleaning and regeneration of membranes in desalination and waste water applications: State of the art 96(1994)225
Ebrahim, S., see Abdel–Jawad, M. 99(1994)57
Ebrahim, S., see Al–Atiqi, I.M. 75(1989)119
Ebrahim, S. and Abdel–Jawad, M.
Economics of seawater desalination by reverse osmosis 99(1994)39
Ebrahim, S. and El–Dessouky, H.
Evaluation of commercial cleaning agents for seawater reverse osmosis membranes 99(1994)169
Ebrahim, S.E. and Darwish, B.A.
Scaling potential of Kuwait seawater for reverse osmosis desalination 74(1989)141
Eckman, T.J., Moch Jr., I. and Shields, C.P.
The TWINTMpermeator– Development and commercialization of a new RO device 96(1994)11
Edwards, E. and Bowdoin, P.
Irrigation with membrane plant concentrate: Fort Myers case study 78(1990)49
Edwards, E.D., see Lange, P.H. 76(1989)39
Effenberger, F., see Bauer, B. 79(1990)125
Egli, T., see Hamer, G. 72(1989)31
Egozy, Y., see Oren, Y. 86(1991)155
Eid, N.M.A.
Localized corrosion at welds in structural steel under desalination plant conditions:
Eid, N.M.A., see Al–Zahrani, H. 84(1991)349
Eisa, E.I., see Hamed, O.A. 93(1993)563
Eisenberg, D., see Thompson, K. 88(1992)201
Eissenberg, D.M., see Hammond, R.P. 87(1992)69
Eissenberg, D.M., see Hammond, R.P. 99(1994)459
El–Azhari, A.A., see Khedr, M.G.A. 72(1989)351
El–Bassouni, A.–M.A.
Factors influencing the performance of basin–type solar desalination units 93(1993)625
El–Dahshan, M.E., see Al–Arifi, A. 97(1994)77
El–Dahshan, M.E., see Hazza, M.I. 95(1994)199
El–Dessouki, H.T.
A water desalination course 94(1993)331
El–Dessouky, H., see Ebrahim, S. 99(1994)169
El–Dessouky, H.T.A.
Humidification – dehumidification desalination process using waste heat from a gas turbine 71(1989)19
El–Haggar, S.M. and Awn, A.A.
Optimum conditions for a solar still and its use for a greenhouse using the nutrient film technique 94(1993)55
El–Hares, H., see Al Bakeri, F. 94(1993)133
El–Hares, H., see Al–Bakeri, F. 92(1993)353
El–Hawary, M.E.
Artificial neural networks and possible applications 92(1993)125

El–Kafrawi, M.S.I., see Ali El Saie, M.H. 73(1989)207
El–Maghary, Y. and Tamminen, E.
Relevant methods for planning and optimization of power and water production systems of the gulf countries 92(1993)149
El–Nashar, A.
Cost allocation for electricity and water for the Umm Al Nar West cogeneration plant using the exergy accounting method 71(1989)57
El–Nashar, A.M.
Optimum selection of cogeneration systems for power and desalination 71(1989)211
El–Nashar, A.M.
Performance of the solar desalination plant at Abu Dhabi 72(1989)405
El–Nashar, A. and Qamhiyeh, A.
Simulation of performance of MES evaporators under unsteady state operating conditions 79(1990)65
El–Nashar, A. and Sarfraz Khan, M.
Economic scheduling of the UAN cogeneration plant: A preliminary optimization study 85(1991)93
El–Nashar, A.M., see Al–Gobaisi, D.M.K. 84(1991)3
El–Nashar, A.M., see Al–Radif, A. 84(1991)45
El–Nashar, A., see Herrmann, D. 92(1993)171
El–Nashar, A., see Herrmann, D. 92(1993)185
El–Nashar, A.M.
An optimal design of a solar desalination plant 93(1993)597
El–Nashar, A.M.
System design optimization of a solar desalination plant using a multi–effect stack type distillation unit 97(1994)587
El–Nashar, A.M.
An MSF evaporator for the UANW 9 and 10 power station. Design considerations based on energy and exergy 97(1994)253
El–Nashar, A.M. and Qamhiyeh, A.A.
Performance and reliability of a solar desalination plant during a five year operating period 82(1991)165
El–Nashar, A.M. and Qamhiyeh, A.A.
Optimal performance of MSF distillers for UANW 9 and 10 power plant. A thermoeconomic study 93(1993)323
El–Sadek, S. and Mabrouk, B.
Tourism development and desalination systems: Comparative analysis of systems suitability for coastal areas of the Red Sea and Gulf of Aqaba, Egypt 88(1992)161
El–Saie, M.H.A.
The MSF desalination process and its prospects for the future 93(1993)43
El–Saie, M.H.A. and Hafez, M.H.E. Selecting and tuning the control loops of MSF desalination for robustness 97(1994)529
El–Sayed, Y.M.
Advances in the methodologies of optimal thermal design 92(1993)79
El–Sebaie, O., see El–Shal, W. 99(1994)149
El–Shal, W., Khordagui, H., El–Sebaie, O., El–Sharkawi, F. and Sedahmed, G.H.
Electrochemical generation of ozone for water treatment using a cell operating under natural convection 99(1994)149
El–Sharkawi, F., see El–Shal, W. 99(1994)149
El–Sum, E.A., Sattar, A. and Aziz, M.A.
Automation of water treatment plants and its application in power and desalination plants 92(1993)309
El–Twaty, A.I. and Karshman, S.A.
Experience with MSF desalination plants in Libya 73(1989)385
El–Warraki, A.A., see Saber, T.M.H. 93(1993)473
Elarbash, M.
Improvements of conventional water intake system 82(1991)315
Elarbash, M.
New sea water intake filtration system 82(1991)303
Elgarni, M.M., see Pareek, N.K. 73(1989)417
Elimelech, M., see Glater, J. 95(1994)325
Elimelech, M., Chen, W.H. and Waypa, J.J.
Measuring the zeta (electrokynetic) potential of reverse osmosis membranes by a streaming potential analyser 95(1994)269

Elmethnani, M.
Simulation model for desalting HTME–type evaporators 97(1994)541
Elmidaoui, A. and Gavach, C.
Nacl diffusion across an amphoteric ion exchange membrane 78(1990)343
Elmidaoui,A., Cherif,A.T., Molenat,J. and Gavach, C.
Transfert of H_2SO_4, Na_2SO_4 and $ZNSO_4$ by dialysis through an anion exchange membrane 101(1995)39
Elshibini, F.Z. and Al–Nakshabandi, G.A.
A modified system of subsidizing distilled water in Kuwait 72(1989)235
Elyanow, D., see Harries, R.C. 84(1991)109
Emerson, T.H., see Campbell, R.L. 99(1994)423
Emmerman, D.K., see Hammond, R.P. 87(1992)69
Emmerman, D.K., see Hammond, R.P. 99(1994)459
Endo, H., see Oikawa, E. 94(1993)25
Erbing, M.L., see Olsson, J. 73(1989)267
Erdmann, C., see Rautenbach, R. 81(1991)285
Ericsson, B.
Process options for nitrogen and phosphorus removal in domestic wastewater 98(1994)105
Ericsson, B., see Sikora, J. 75(1989)363
Ericsson. B. and Hallmans, B.
Control of the nutrient pollution discharge from the Vistula River Basin in Poland 98(1994)185
Ericsson, B. and Hallmans, B.
Membrane applications in raw water treatment with and without reverse osmosis desalination 98(1994)3
Ericsson, B. and Hallmans, B.
Membrane filtration as a pre–treatment method 82(1991)249
Ericsson, B. and Hallmans, B.
Treatment and disposal of saline wastewater from coal mines in Poland 98(1994)239
Ericsson, B. and Hallmans, B.
Trends in domestic waste water treatment in Sweden 98(1994)259
Eriksson, P.K.
The effect of dissolved oxygen in water on the performance of a high rejection polyamide reverse osmosis membrane 83(1991)249
Erkenbrecher, C.W., Jr., see Applegate, L.E. 74(1989)51
Esen, I., see Puskas, K. 72(1989)125
Ettouney, H.M., see Rimawi, M.A. 74(1989)327
Etxaniz, J., see Henriquez, J.F. 82(1991)71
Evangelista, F., see Barba, D. 71(1989)137
Evangelista, F., see Barba, D. 71(1989)289
Evans, C.K., see Finan, M.A. 73(1989)341

F

Faggard, G., see Muhurji, M. 76(1989)75
Fajner, D., see Saavedra, A. 82(1991)267
Famelart, M.H., see Surel, O. 95(1994)11
Fan, G., see Ji, J. 85(1992)297
Fane,A.G., see Hogan, P.A. 81(1991)81
Fane, A.G., see Schofield, R.W. 77(1990)279
Fane, A.G., see Vaid, A. 83(1991)137
Farran, K.M., see Al–Sofi, M.A.K. 96(1994)313
Fathalah, K. and Aly, S.E.
Theoretical study of a solar powered absorption/MED combined system 82(1991)245
Favre, E., see Schaetzel, P. 90(1993)259
Fearn, W.A., see Hick., D.C. 73(1989)95
Fedele, U., see Gaeta, S.N. 83(1991)183
Fei, M., see Ji, J. 85(1991)297
Fell, C.J.D., see Schofield, R.W. 77(1990)279
Fergus, I., see Stuart, J. 75(1989)379
Fernandez, C.A., Huerta, B.H and Latapi, F.E.
Feasibility of seawater desalination to solve water shortage problems of the Salina Cruz (Pemex) Refinery 73(1989)61
Feron, P. and Solt, G.S.
The influence of separators on hydrodynamics and mass transfert in narrow cells: Flow visualisation 84(1991)137
Ferrara, C.M., see Lewis, J.W. 87(1992)229
Filippo Mareta, see Calabro, V. 83(1991)209
Finan, M.A., see Wilcock, J.D. 97(1994)443

Finan, M.A., Smith, S., Evans, C.K. and Miur, J.W.H.
BELGARDEV–15 years' experience in scale control 73(1989)341
Finnigan, S.M. and Howell, J.A.
The effect of pulsed flow on ultrafiltration fluxes in a baffled tubular membrane system 79(1990)181
Fisher, K.L., see Harries, R.C. 84(1991)109
Fleming, W. see Yeh, G.C. 81(1991)129
Floquet, P., Pibouleau, L. and Domenech, S.
Recent trends in process optimization 92(1993)1
Flower, J.R., see Bikos, S.C. 81(1991)483
Fokin, M.N., see Lebedeva, O.H. 73(1989)457
Forgach, D.J., Rose, G.D. and Luteneske, N.E.
Characterization of composite membranes by their non–equilibrium thermodynamics transport parameters 80(1991)275
Fosselard, G. and Wangnick, K.
Comprehensive study on capital and operational expenditures for different types of seawater desalting plants (RO, MVC, ME, ME–TVC, MSF) rated between 200 m3/d and 3,000 m3/d 76(1989)215
Fouda, A.E., see Zhang, S.Q. 80(1991)211
Fouda, A.E., Bai, J., Zhang, S.Q., Kutowy, O. and Matsuura, T.
Membrane separation of low volatile organic coumpounds by pervaporation and vapor permeation 90(1993)209
Fountoukidis, E., Maroulis, Z. and Marinos–Kouris, D.
Crystallization of calcium sulfate on reverse osmosis membranes 79(1990)47
Fountoukidis, E., Maroulis, Z.B. and Marinos–Kouris, D.
Modeling of calcium sulphate fouling of reverse osmosis membranes 72(1989)293
Frank, K.F.. see Redondo, J.A. 82(1991)31
Franken, A.C.M., see Smolders, K. 72(1989)249
Franklin, J.C., see Ammerlaan, A.C.F. 88(1992)33
Franklin, J.C., see Ammerlaan, A.C.F. 96(1994)421
Fredkin, E. and Banks, R.
Computerized instrumentation and control for reverse osmosis systems 75(1989)141
Freeman, S., see Larson, R. 73(1989)119
Frenkel, V. and Gourgi, T.
Bracking water RO desalination plant in the Gaza Strip 101(1995)47
Friedman, M.A., see Tleimat, B. 87(1992)97
Fritsch, D., Peinemann, K.–V. and Behling, R.–D.
Silicon/non–silicone grafted blend composite membranes for air/vapor separation 90(1993)235
Froment, T., see Darwish, M.A. 74(1989)277
Fujioka, T., see Futakawa, M. 98(1994)345
Fujioka, Y., Soda, M., Zama, M. and Shimizu, I.
Prevention of the scale trouble of multi–effect stacked desalination plants 73(1989)371
Fujiwara, N., see Kumano, A. 96(1994)451
Fujiwara, N., Fukuda, T., Yanaga, Y., Sekino, M. and Goto, T.
The reference and analysis of a double–element type hollow fiber RO module in seawater desalination 96(1994)441
Fujiwara, N., Numata, K., Kumano, A., Ogino, Y., Nagai, M. and Iwahashi, H.
The effect of heavy metal ions on the oxidation of cellulose triacetate membranes 96(1994)431
Fukami, T., see Fukuda, T. 97(1994)121
Fukuda, T., see Ayyash, Y. 96(1994)215
Fukuda, T., see Fujiwara, N. 96(1994)441
Fukuda, T., Fukami, T., Baba, Y. and Honma, K.
Clad steel for seawater service 97(1994)121
Fukumoto, Y., Isobe,K., Moriyama,N. and Pujadas, F.
The performance test of new antiscalant "AQUAKREEN KC–550" under the high temperature condition at the MSF desalination plant in Dubai 83(1991)65
Fumagalli, B. and Ghiazza, E.
Mathematical modelling and expert system integration for optimum control strategy of MSF desalination plants 97(1994)547
Fumagalli, B. and Ghiazza, E.
Mathematical modelling and expert systems integration for optimum control strategy of MSF desalination plants 92(1993)281
Fuqua, T.M., Bowen, P.T. and Ortiz, R.S.
Using reclaimed water for shallow aquifer recharge 88(1992)243

Fusaoka, Y., see Kurihana, M. 96(1994)133
Fusetti, F., see Massarani, A. 92(1993)377
Futakawa, M., Takahashi,H., Inoue,G. and Fujioka, T.
Treatment of concentrated cyanide wastewater 98(1994)345
Futamura, O., Katoh, M. and Takeuchi, K.
Organic waste water treatment by activated sludge process using integrated type membrane separation 98(1994)17
Futsellar, H., Zoontjes,R.J.C., Reith,T. and Racz, I.G.
Economic comparison of transverse and longitudinal flow hollow fiber membrane modules for reverse osmosis and ultrafiltration 90(1993)345

G

Gabbrielli, E., see Watson, B. 96(1994)369
Gabbrielli, E., see Wong, P. 98(1994)225
Gabrielli, E., see Stuart, J. 75(1989)379
Gada, M.K., see Tare, M.M. 81(1991)57
Gaeta, S.N. and Fedele, U.
Recovery of water and auxiliary chemicals from effluents of textile dye houses 83(1991)183
Gaeta, S.N., Petrocchi, E., Negri, E. and Drioli, E.
Chlorine resistance of polypiperazineamide membranes and modules 83(1991)383
Gaeta, S.N., Zhang, H., Drioli, E. and Basile, A.
Polyorganophosphazene membranes: preparation and transport properties 80(1991)181
Gajendra, N., see Turner, A.G. 98(1994)285
Gandhidasan, P. and Abualhamayel, H.I.
A simple analysis of solar desalination of seawater 99(1994)137
Garcia, J.M., see Sanchez, J.M. 82(1991)119
Gattis, D.E., see Lozier, J.C. 88(1992)3
Gavach, C., see Chapotot, A. 101(1995)141
Gavach, C., see Elmidaoui, A. 101(1995)39
Gavach, C., see Elmidaoui, A. 78(1990)343
Gavach, C., see Lindheimer, A. 94(1993)151
Gavach, C., see Salem, K. 101(1995)123
Gavash, C., see Pourcelly, G. 80(1991)193
Gavash, C., see Raucq, D. 91(1993)163
Gebel, J., see Rautenbach, R. 76(1989)107
Geghardt, F. and Maschlanka, J.
Possible applications of fuzzy controllers for chemical phosphate elimination 96(1994)89
Gekas, V. and Hallstrom, B.
Microfiltration membranes, cross–flow transport mechanims and fouling studies 77(1990)195
Gendel, A., see Ophir, A. 98(1994)383
Genthner, K., see Gregorzewski, A. 82(1991)145
Genthner, K., see Morsy, H. 96(1994)59
Genthner, K., see Seifer, A. 81(1991)333
Genthner, K. and Seifert, A.
A calculation method for condensers in multi–stage evaporators with non–condensable gases 81(1991)349
Genthner, K., Gregorzewski, A. and Seifer, A.
The effects and limitations issued by non–condensible gases in sea water distillers 93(1993)207
George, O., see Sadler, L.Y. 101(1995)169
Georgieva, V., see Mavrov, V. 83(1991)195
Gerdes, L., see Hamano, T. 96(1994)23
Germana, A., see Borsani, R. 96(1994)325
Ghabris, A.H., see Al–Atiqi, I.M. 75(1989)119
Ghabris, A.H., Abdel–Jawad, M. and Aly, G.S.
Municipal wastwater renovation by reverse osmosis–state of the art 75(1989)213
Ghatge, N.D., see Biware, M.V. 101(1995)93
Ghatge, N.D., see Satre, M.D. 91(1993)121
Ghiazza, E., see Fumagalli, B. 92(1993)281
Ghiazza, E., see Fumagalli, B. 97(1994)547
Ghiazza, E., see Rebagliati, S. 75(1989)149
Giacomo, G.Di., Brandani, P., Brandani, V. and Del Re, G.
Solubility of boric acid in aqueous solutions of sulfate salts 89(1992)185
Gimbel, R., see Lipp, P. 79(1990)203
Glater, J., see Cheng, R. 85(1991)33
Glater, J., Hong, S.K. and Elimelech, M.
The search for a chlorine–resistant reverse osmosis membrane 95(1994)325
Glueckstern, P.
Cost estimates of large reverse osmosis systems 81(1991)9
Glueckstern, P.
Potential uses of solar energy for seawater desalination 101(1995)11
Gnot, W., see Turek, M. 101(1995)57

Goethaert, S., see Dotremont, C. 91(1993)177
Goliyad, N.N., see Rifert, V.G. 96(1994)183
Golub, S.I., see Iljushchenko, V.V. 81(1991)383
Golub, S.I., see Ilyushchenko, V.V. 74(1989)383
Golub, S.I., see Ilyushchenko, V.V. 74(1989)391
Gomez Gotor, A., see Veza, J.M. 85(1992)147
Gorge, B., see Lipp, P. 79(1990)203
Gostoli, C., see Bandini, S. 81(1991)91
Goto, T., see Fujiwara, N. 96(1994)441
Goto, T., see Ohta, K. 78(1990)177
Goto, T., see Ohta, K. 81(1991)107
Goto, T., see Okabe, T. 93(1993)235
Gotoh, S., see Nita, K. 96(1994)33
Gourgi, T., see Frenkel, V. 101(1995)47
Govert, A.A., see Martynova, O.I. 71(1989)337
Govindan, K.P., see Adhikary, S.K. 71(1989)301
Grabska–Winnicka, D. and Winniki, T.
Membrane separation in biological sewage treatment processes 83(1991)243
Graef, J.H.W.
Solar desalination plant contra CO_2 emission 82(1991)187
Graham, S.I., Reitz, R.L. and Hickman, C.E.
Improving reverse osmosis performance through periodic cleaning 74(1989)113
Graveland, A., see Van Den Berkomortel, H.A. 98(1994)83
Gregorzewski, A., see Genthner, K. 93(1993)207
Gregorzewski, A., Genthner, K., Zarza, E., Leon, J., de Gunzbourg, J., Alefeld, G. and Scharfe, J.
The solar thermal desalination research project at the Plataforma Solar de Almeria 82(1991)145
Griepentrog, H.
Total quality management and desalination plants: a practical application for result–based management methods 93(1993)373
Grigorenko, S.V., see Rifert, V.G. 74(1989)373
Gromov, B.A., see Lebedeva, O.H. 73(1989)457
Groschl, A., see Rautenbach, R. 77(1990)73
Groschl, A., see Rautenbach, R. 90(1993)93
Groth, H.L., see Olsson, J.O. 97(1994)67
Gudernatsch, W., Krumbholz, Ch. and Strathmann, H.
Development of an anion–exchange membrane with increased permeability for organic acids of high molecular weight 79(1990)249
Guha, B.K., see Datta, N. 89(1993)343
Guidice, see Zannoni, R. 82(1991)337
Gupsa, S.K., Guspa, S. and Narayana, A.
Design and parameter estimation of reverse osmosis systems 86(1992)77
Gupta, S.K.
Design and analysis of reverse osmosis systems using three parameters models for transport across the membrane 85(1992)283
Gurumoorthy, K. and Swaminathan, T.
Use of reverse osmosis in chlor alkali plant 98(1994)303
Guseva, O.V., see Linnikov, O.D .89(1993)311
Gusmano, G., Simoncelli, C., Valota M.N. and Travesta, E.
Factor affecting the corrosion behavior of CN 108 alloy in sea water 74(1989)259
Guspa, S., see Gupsa, S.K. 86(1992)77
Gyseva, O.V. see Martynova, O.I. 83(1991)55

H

Habbe, R., see Rautenbach, R. 84(1991)153
Habib, K.
Electrochemical behavior of a high strength nickel–based alloy in H_2SO_4 93(1993)537
Habib, K.
Electrochemical behavior of copper–nickel alloys in sulfide polluted seawater at moderate temperatures 89(1992)41
Habib, K.
Predictability of a membrane transport model: a general approach 75(1989)41
Habib, K., see Husain, A. 99(1994)113
Habib, K. and Amin, A.
Electrochemical behavior of Al–brass in natural seawater 85(1992)275
Habib, K. and Husain, A.
Stress corrosion cracking of copper–nickel alloys in sulphide polluted natural seawater at moderate temperatures 97(1994)29
Hafez, M.H.E., see El–Saie, M.H.A. 97(1994)529

Hakamaya, A., see Haruhiko, H. 94(1993)167
Hallmans, B., see Ericsson, B. 82(1991)249
Hallmans, B., see Ericsson. B. 98(1994)185
Hallmans, B., see Ericsson, B. 98(1994)239
Hallmans, B., see Ericsson, B. 98(1994)259
Hallmans, B., see Ericsson, B. 98(1994)3
Hallmans, B., see Masarczyk, J. 75(1989)259
Hallstrom, B., see Gekas, V. 77(1990)195
Hallstrom, B., see Zhang, W. 79(1990)1
Hamanaka, K., see Doi, S. 80(1991)167
Hamano, T., Chebi, P.B., Gerdes, L. and Wolfe, T.D.
The development of a new electrodialysis system for brackish water 96(1994)23
Hamby, K. and Chen, J.
Operating experience of an RO plant as pretreatment of demineralizer system in a cogeneration plant 76(1989)3
Hamdan, L.
Water resources research needs in the Arabian Gulf area 72(1989)3
Hamdona, S.K., Nessim, R.B. and Hamza, S.M.
Spontaneous precipitation of calcium sulphate dihydrate in the presence of some metal ions 94(1993)69
Hamed, O.A.
Thermal assessment of a multiple effect boiling (MEB) desalination system 86(1992)325
Hamed, O.A. and Ahmed, K.A.
An assessment of an ejectocompression desalination process 96(1994)103
Hamed, O.A. and Aly, S.
Simulation and design of MSF desalination processes 80(1991)1
Hamed, O.A., Eisa, E.I. and Abdalla, W.E.
Overview of solar desalination 93(1993)563
Hameed, M.S.
Design method of reverse osmosis units used in desalination 75(1989)85
Hamer, G. , Egli, T. and Awadhi, N.A.
Polluted water renovation for reuse: Recent biotechnological advances applicable in hot arid regions 72(1989)31
Hamida, A.B., see Pohland, H.W. 96(1994)303
Hammond, R.P., Eissenberg, D.M., Emmerman, D.K., Jones Jr., J.E. and Sephton, H.H.
Large scale seawater distillation for Southern California 87(1992)69
Hammond, R.P., Eissenberg, D.M., Emmerman, D.K., Jones Jr., J.E., Sephton, H.H., Standiford, F.C., Scott, R.F., Rider, W.J. and Dean, D.W.
Sea water desalination plant for Southern California 99(1994)459
Hammoud, A.A., see Shams El Din, A.M. 85(1991)13
Hamza, S.M., see Hamdona, S.K. 94(1993)69
Han, M.–J. and Bhattacharyya, D.
Thermal annealing effect on cellulose acetate reverse osmosis membrane structure 101(1995)195
Hanafi, A.
Desalination using renewable energy sources 97(1994)339
Hanafi, A.
Design and performance of solar MSF desalination systems 82(1991)175
Hanbury, W.T., see Alvonitis, S .85(1992)321
Hanbury, W.T., see Avlonitis, S. 81(1991)191
Hanbury, W.T., see Avlonitis, S. 89(1993)227
Hanbury, W.T., see Ben Boudinar, M. 86(1992) 273
Hanbury, W.T.
Some thoughts on the limitations on increasing the unit sizes of conventional cross–tube MSF distillation plants 93(1993)127
Hanemaaijer, J.H , see Van Der Horst, H.C. 77(1990)235
Hanra, M.S., see Sadhukhan, H.K. 96(1994)249
Hanra, M.S., see Tewaki, P.K. 73(1989)359
Hansson, C.H., see Masarczyk, J. 75(1989)259
Hansson, C.H., see Sikora, J. 75(1989)363
Hao, J. and Zhao, Q.
The development of membrane technology for wastewater treatment in textile industry in China 98(1994)353
Harada, K., see Miura, M. 98(1994)375
Harada, Y. and Yamasaki, K.
Treatment of wastewater and sludge by a catalytic wet oxidation process 98(1994)27
Harkare, W.P., see Adhikary, S.K. 71(1989)301
Harlow, H.W., Ray, M. and Quick, R.
Nine years of reverse osmosis operation at Englewood 87(1992)193

Harlow, W., see Smith, B.E. 78(1990)99
Harries, R.C., Elyanow, D., Heshka, D.N. and Fisher, K.L.
Desalination of brackish groundwater for a prairie community using electrodialysis reversal 84(1991)109
Harrold, S.J., see Rudie, B.J. 90(1993)107
Haruhiko,H., Hakamaya,A., Hiraoka,Y. and Negishi,Y.
Theoretical studies on the separation of different ionic species of the same charge sign using cascade electrodialysis with reflux 94(1993)167
Hasegawa, J., see Yushina, Y. 98(1994)413
Hashimoto, T., see Miyatake, O. 91(1993)51
Hassan, A., see Al–Gobaisi, D.M.K. 92(1993)211
Hassan, A., see Al–Gobaisi, D.M.K. 97(1994)469
Hassan, A., see Husain, A. 92(1993)21
Hassan, A., see Husain, A. 92(1993)43
Hassan, A., see Rao, G.P. 97(1994)507
Hassan, A., Al–Sum, E.A. and Aziz, S.
Storage and retrieval of corrosion data of desalination plant owners 97(1994)131
Hassan, A., Aziz, S., Radif, A., Said, M.S. and Al–Sum, E.A.
Corrosion experience data bank system for desalination and power plants (Corex) 84(1991)251
Hassan, A.M., Al–Jarrah, S., Al–Lohibi, T., Al–Hamdan, A., Bakheet, L. M. and Al–Amri, M.M.I.
Performance evaluation of SWCC SWRO plants 74(1989)37
Hassan A.M. and Malik, A.U.
Corrosion resistant matarials for seawater RO plants 74(1989)157
Hassan Beck, H.M., see Pareek, N.K. 73(1989)417
Hassan, M.S., Toyama,S., Jurae,K. and Wahhab, M.A.
Multieffect solar still for agricultural purposes in hot climate 71(1989)347
Hasson, D., see Brusilovsky, M. 71(1989)355
Hasson, D., see Brusilovsky, M. 86(1992)187
Hattori, S. and Minato, A.
Human welfare by nuclear desalination using super–safe, small and simple reactors (4S) 99(1994)345
Hauge, L.J., see Darwish, M.A 75(1989)25
Haugseth, L.A., see Suemoto, S.H. 96(1994)43
Hawlader, M.N.A., see Malek, A. 91(1993)265
Hawlader, M.N.A., see Malek, A. 99(1994)19
Hayano, I., see Ohta, K. 81(1991)107
Hayano, T., see Ohta, K. 78(1990)177
Hayashi, Y., see Nagai, M. 96(1994)291
Hayes, D.W.J. and Kipps, J.A.L.
Salt–gradient solar ponds from concentrated subsurface agricultural drainage waters of the San Joaquin Valley, California 88(1992)301
Hayes, G.
Contamination of food–process water supplies 82(1991)375
Hazlett, J.D., see Tam, C.M. 89(1993)275
Hazlett, J.D., see Tweddle, T.A. 86(1992)27
Hazza, M.I. and El–Dahshan, M.E.
The effect of molybdenum on the corrosion behaviour of some steel alloys 95(1994)199
Hazzaa, M.I., see Al–Arifi, A. 97(1994)77
He Zhang, X.
A way to solve trouble encountered in one RO system 96(1994)459
Heikal, O., see Al–Sum, E.A. 97(1994)109
Heneghan, K.S., see Clark, M.M. 80(1991)243
Henriquez, J.F., Bonet, J. and Etxaniz, J.
Galdar–Agaete seawater desalination plant construction and one year operational experience for the 3,500M3/day reverse osmosis plant 82(1991)71
Henthorne, L., see Hightower, S. 99(1994)201
Herbranson, L. and Suemoto, S.H.
Desalination research–Current needs and approaches. A U.S. perspective 96(1994)39
Herion, C., see Rautenbach, R. 72(1989)339
Herrmann, C.C.
High–recovery reverse osmosis using a recycle loop 91(1993)279
Herrmann, D., El–Nashar, A. and Aidrous, A.
Short–term operational planning in WED. Part I: Structure of the cogeneration system 92(1993)171
Herrmann, D., El–Nashar, A. and Aidrous, A.
Short–term operational planning in WED. Part II: Load dispatch and unit commitment 92(1993)185

Heshka, D.
EDR – Water treatment – Desalination on the prairies 88(1992)109
Heshka, D.N., see Harries, R.C. 84(1991)109
Hess, G., Morin, O.J. and Carrigan, W.V.
Seawater desalting for Southern California: Technical and economic considerations 87(1992)55
Hibi, K., see Oikawa, E. 94(1993)25
Hick., D.C., Fearn,W.A., Pleass,C.M. and Staples, D.
Development, testing and the economics of a composite/plastic seawater reverse osmosis pump 73(1989)95
Hick., D.C., Mitcheson, G.R., Pleass, C.M. and Salevan, J.F.
DELBUOY: Ocean wave–powered seawater reverse osmosis desalination system 73(1989)81
Hickman, C.E., see Graham, S.I. 74(1989)113
Hightower, S., Price, K. and Henthorne, L.
The US Bureau of Reclamation's research programs in water treatment and desalting technologies 99(1994)201
Higuchi, A., see Nakagawa, T. 90(1993)183
Higuchi, A., Ishida, Y. and Nakagawa, T.
Surface modified polysulfone membranes: Separation of mixed proteins and optical resolution of tryptophan 90(1993)127
Hirai, M., see Okabe, T. 93(1993)235
Hiraoka, Y., see Haruhiko, H. 94(1993)167
Hirata, Y., see Yamauchi, A. 71(1989)277
Hirata, Y., see Yamauchi, A. 80(1991)61
Ho, G., see Robinson, R. 86(1992)9
Ho, J.C., see Malek, A. 91(1993)265
Ho, J.C., see Malek, A. 99(1994)19
Hobler, M.M., see Bender, H. 72(1989)161
Hodgkiess, T.
Current status of materials selection for MSF distillation plants 93(1993)445
Hodgkiess, T., see Alvonitis, S. 85(1992)321
Hodgkiess, T. and Chia, P.S.
Assessment of lower–alloy stainless steels for use in desalination plant 84(1991)267
Hoffman, D.
The application of solar energy for large–scale seawater desalination 89(1992)115
Hogan, P.A., Sudjito, Fane, A.G. and Morrison, G.L.
Desalination by solar heated membrane distillation 81(1991)81
Hojainov, Yu., see Dytnersky, Yu.I. 81(1991)261
Hollein, H.C., see Slater, C.S. 90(1993)291
Honda, T., see Oikawa, E. 94(1993)25
Honda, T. and Kugawa, Y.
Recycling of sewage treatment water by ozone 98(1994)327
Hong, S.K., see Glater, J. 95(1994)325
Honma, K., see Fukuda, T. 97(1994)121
Horii, Y., see Kawanishi, T. 97(1994)415
Hornburg, C.D., see Colon, W.J. 78(1990)157
Hornburg, C.D., see Watson, B.M. 72(1989)11
Hornburg, C.D. and Watson, B.M.
Operational optimization of MSF systems 92(1993)333
Hou Tai–Ping, Dong Sheng–Hua and Sheng Ling–Ying
The study of mechanism of organic additives action in the polysulfone membrane casting solution 83(1991)343
Howarth, D.A., see Al–Khadafi, A.A. 75(1989)289
Howell, J.A., see Finnigan, S.M. 79(1990)181
Hsari, M., see Chaibi, M.T. 82(1991)197
Hsieh, K.H., Lin, B.Y. and Chiu, W.Y.
Studies on diisocyanate–modified cellulose acetate membranes 71(1989)97
Hsiue, G.H., Pung, L.–S., Chu, M.–L. and Shieh, M.–C.
Treatment of uranium effluent by reverse osmosis membrane 71(1989)35
Huerta, B.H., see Fernandez, C.A. 73(1989)61
Humphries, J.R. and Middleton, E.
CANDESAL: a Canadian Nuclear Desalination System 99(1994)329
Hurndall, M.J., Jacobs, E.P. and Sanderson, R.D.
The performance of novel reverse osmosis membranes made from poly–2–vinylimidazoline. I. 86(1992)135
Hurndall, M.J., Jacobs, E.P., Van Reenen, A.J. and Sanderson, R.D.
Modified poly–2–vinylimidazoline reverse osmosis membranes 89(1992)203

Hurndall, M.J., Sanderson, R.D., Jacobs, E.P. and Van Reenen, A.J.
Poly(2–vinylimidazoline) composite reverse osmosis membranes 90(1993)41
Husain, A., see Abdulbary, A.F. 92(1993)323
Husain, A., see Habib, K. 97(1994)29
Husain, A., Al–Gobaisi, D.M.K., Hassan, A., Kesou, A., Kurdali, A. and Podesta, S.
Modelling, simulation, optimization and control of multistage flash (MSF) desalination plants: Part II. Optimization and control 92(1993)43
Husain, A., Habib, K. and Jarman, R.
The inhibition effect of sodium molybdate on the initiation of corrosion fatigue of 1020 mild steel in aqueous solution 99(1994)113
Husain, A., Hassan, A., Al–Gobaisi, D.M.K., Al–Radif, A., Woldai, A. and Sommariva, C.
Modelling, simulation, optimization and control of multistage flash (MSF) desalination plants: Part I. Modelling and simulation 92(1993)21
Husain, A., Woldai, A., Al–Radif, A., Kesou, A., Borsani, R., Sultan, H. and Deshpandey, P.B.
Modelling and simulation of multistage flash (MSF) desalination plant 97(1994)555
Husain, T., Khan, H.U. and Khan, S.M.
Evaluation of water resources alternatives in Saudi Arabia in multi–objective framework 81(1991)77

I

Ibrahim, J., see Mukhamer, S. 93(1993)633
Ikeda, K. and Tomaschke, I.
Noble reverse osmosis composite membrane 96(1994)113
Ikeda, T., Muragishi, H., Bairinji, R. and Uemura, T.
Advanced reverse osmosis membrane modules for novel ultrapure water production process 98(1994)391
Iljushchenko, V.V., Rosen, A.M. and Golub, S.I.
General approach to the drop entrainment calculation in heat– and mass–transfert apparatus 81(1991)383
Ilyushchenko, V.V., Podbereznyi, V.L. and Golub, S.I.
Influence of spray density on coefficient of gas dynamic resistance for tube bundles of different configuration 74(1989)383
Ilyushchenko, V.V., Podbereznyi, V.L. and Golub, S.I.
Interaction of spraying liquid and vapour in horizontal tube film evaporators 74(1989)391
Imai, H., see Ayyash, Y. 96(1994)215
Imai, H., see Muhurji, M. 76(1989)75
Imai, K., see Ishiguro, K. 98(1994)119
Imai, M., see Saitoh, T. 98(1994)249
Iman, S. and Begum, S.
The Yathrib system 96(1994)119
Immelman, E., see Sanderson, R.D. 90(1993)15
Immelman, E., Bezuidenhout, D., Sanderson, R.D., Jacob, E.P. and van Reenen, A.J.
Poly(vinyl alcohol) gel sub–layers for reverse osmosis membranes. III. Insolubilization by crosslinking with potassium peroxydisulphate 94(1993)115
Immelman, E., Sanderson, R.D., Jacob, E.P. and van Reenen, A.J.
Poly(vinyl alcohol) gel sub–layers for reverse osmosis membranes. II. Insolubilization by crosslinking with poly(methyl vinyl ether–alt–maleic anhydride) 94(1993)37
Indusekhar, V.K., see Adhikari, S.K. 84(1991)189
Indusekhar, V.K., see Narayanan, P.K. 84(1991)201
Indusekhar, V.K., Trivedi, G.S. and Shah, B.G.
Removal of nitrate by electrodialysis 84(1991)213
Inoue, G., see Futakawa, M. 98(1994)345
Inoue, G., see Shindo, N. 98(1994)155
Ishida, Y., see Higuchi, A. 90(1993)127
Ishiguro, K., Imai, K. and Sawada, S.
Effects of biological treatment condition on permeate flux of UF membrane in a membrane/activated–sludge wastewater treatment system 98(1994)119
Ishii, T., see Okabe, T. 93(1993)235
Ishimaru, N.
Solar photovoltaic electrodialysis desalination for brackish water in remote areas 98(1994)485

Ismail, A.
Robust control with engineering applications: an overview 92(1993)57
Isnasious, E.Z., see Al Kebti, F.S. 93(1993)259
Iso, S., Suizo, S. and Maejima, A.
The lethal effect of hypertonic solution and avoidance of marine organisms in relation to the discharged brine from a desalination plant 97(1994)389
Isobe, K., see Fukumoto, Y. 83(1991)65
Itoh, S., Suzuki, A., Nakamura, T. and Yokoyama, S.
Production of heavy oil from sewage sludge by direct thermochemical liquefaction 98(1994)127
Iwahashi, H., see Fujiwara, N. 96(1994)431
Iwahashi, H., see Kumano, A. 96(1994)451
Iwahashi, H., see Nada, N. 96(1994)283
Iwahashi, H., see Nagai, M. 96(1994)291
Iwahori, H., see Tasaka, K. 96(1994)259

J

Jabboury, B.G. and Darwish, M.A.
An interactive approach to combine desalting and power plants analysis 84(1991)106
Jackson, G., see Blank, H.G. 99(1994)233
Jacob, E.P., see Immelman, E. 94(1993)115
Jacob, E.P., see Immelman, E. 94(1993)37
Jacob, E.P., see Van Reenen, A.J. 85(1992)263
Jacobs, E.P., see Hurndall, M.J. 86(1992)135
Jacobs, E.P., see Hurndall, M.J. 89(1992)203
Jacobs, E.P., see Hurndall, M.J. 90(1993)41
Jacobs, E.P., see Sanderson, R.D. 90(1993)15
Jaffer, A., see Baggott, S.R. 83(1991)119
Jaffer, A.E.
The application of a novel chemical treatment program to mitigate scaling and fouling in reverse osmosis units 96(1994)71
Jarman, R., see Husain, A. 99(1994)113
Jasner, M.
Application of an austenitic nitrogen–alloyed 6Mo stainless steel for seawater desalination (RO) and waste water treatment 84(1991)335
Jau–Kai Wang, see Ting–Chia Huang 86(1992)257
Jawad, M.A.
Future for desalination by reverse osmosis 72(1989)23
Jeday Razar, M., see Le Goff, P. 82(1991)153
Jensen, J.B., see Sorensen, T.S. 80(1991)293
Ji, J., Fei, M., Fan, G., Chen, J., Li, G. and Xiu, W.
The nucleation of organic additives in membrane casting solution (I). The theory and direct evidence 85(1992)297
Jiang, J. and Jianyan, C.
Study on interactions between PBIL membranes and organic solutes 78(1990)389
Jiang, J., Minghi, S., Minling, F. and Jiayan, C.
Study on the interaction between membranes and orgnanic solutes by the HPLC method 71(1989)107
Jianhua, J., see Yurong, L. 83(1991)375
Jianyan, C., see Jiang, J. 78(1990)389
Jiayan, C., see Jiang, J. 71(1989)107
Jihua, H., Wentong,W., Puchen,Y. and Qingshuang, Z.
The preparation of quaternized polysulfon membranes for low pressure reverse osmosis 83(1991)361
Jirka, G., see Del Bene, J.V. 97(1994)365
Johnson, R.A., see Sheng, J. 80(1991)113
Johnson, W., see Vaid, A. 83(1991)137
Jones Jr., J.E., see Hammond, R.P. 87(1992)69
Jones Jr., J.E., see Hammond, R.P. 99(1994)459
Jönsson, A., see Linde, K. 101(1995)21
Jönsson, A.S. and Trägårdh, G.
Ultrafiltration applications 77(1990)135
Jönsson, G., see Barba, D. 71(1989)137
Joshi, S.E. and Rao, A.V.
Synthesis and evaluation of poly(m–phenylene isophthalamide) as a reverse osmosis membrane 78(1990)355
Judges, P.D., see Ali, G. 76(1989)27
Julka, A., see Carew, J. 74(1989)85
Julovik, U., see Obermeyer, H.D. 90(1993)161
Jung, D., see Baumgartner, T. 81(1991)299
Jurae, K., see Hassan, M.S. 71(1989)347
Juwayel, F., see Younis, M.A. 94(1993)11

K

Kain, R.M., see Oldfield, J.W. 84(1991)227
Kamal, I.
Cogeneration desalination with reverse osmosis: a means of augmenting water supplies in Southern California 88(1992)355
Kamal, I., see Sims, G.V. 94(1993)251
Kamal, I., Schneider, W. and Tusel, G.F.
Process arrangements for hybrid seawater desalination plants 76(1989)323
Kamaluddin, B.A., Khan, S. and Makkawi–Ahmed, B.
Selection of optimally matched cogeneration plants 93(1993)311
Kamel, M. I., see Ali El Saie, M.H. 73(1989)207
Kamiyama, Y., see Tasaka, K. 96(1994)259
Kanekuni, N., see Murata, M. 98(1994)217
Kang, M., see Calabro, V. 78(1990)257
Kanner, T., see Ahmed, S.R. 74(1989)69
Kantsos, E.T., see Caouris, Y.G. 71(1989)177
Karaghouli, A.A , see Al–Abbasi, M.A. 86(1992)317
Karakane, H., see Tsuyumoto, M. 80(1991)139
Karshman, S.A., see El–Twaty, A.I. 73(1989)385
Kashida, K., see Kohsaka, K. 73(1989)429
Kashida, K., Morisaki, S., Oshiyama, M., Suzuki, K. and Yamamoto, M.
Application for light gauge titanium tube in a MSF type seawater desalination plant. A successful fixing procedure of light gauge titanium tubes into copper alloy of tube sheets 97(1994)147
Kastelan–Kunst, L., Sambrailo, D. and Kunst, B.
On the skinned cellulose triacetate membranes formation 83(1991)331
Kato, K., see Borashid, K. 73(1989)277
Katoh, M., see Futamura, O. 98(1994)17
Katsifarakis, K.L.
Solar distillation treatment of landfill leachate. A case study in Greece 94(1993)213
Katsura, T., see Tasaka, K. 96(1994)259
Katz, W.E.
Drought–proofing in Southern California by seawater desalting is economic today 86(1992)1
Kawahara, T.
Construction and operation experience of a large–scale electrodialysis water desalination plant 96(1994)341
Kawanishi, T., Matsumoto, S., Horii, Y. and Masuzaki, M.
Desalination for landfill leachates containing condensed inorganic salts 97(1994)415
Kawazoe, K., see Shindo, N. 98(1994)155
Kejun, X., Shichang, W. and Yaozhong, Y.
Solutions for problems in corrosion and environmental impact on 2x3000 m3/d MSF desalination plants 97(1994)159
Keller, L., see Volchek, K. 89(1993)247
Kerres, J., see Strathmann, H. 77(1990)259
Kesou, A., see Husain, A. 92(1993)43
Kesou, A., see Husain, A. 97(1994)555
Kessler, H.G., see Obermeyer, H.D. 90(1993)161
Kessler, H.G., see Schwab, C. 90(1993)173
KHalaf, S., see Al–Sofi, M.A.K. 73(1989)313
Khalaf, S. and Al Alawi, A.
Maintenance philosophy and approach for a dual purpose plant 96(1994)273
Khalil, A.
Dehumidification of atmospheric air as a potential source of fresh water in the UAE 93(1993)587
Khan, A.R., see Al–Saleh, S.A. 97(1994)87
Khan, A.R., see Al–Saleh, S.A. 97(1994)97
Khan, H.U., see Husain, T. 81(1991)77
Khan, M.M.A., see Al–Saati, A.J. 82(1991)141
Khan, S.M., see Husain, T. 81(1991)77
Khater, A., Dannish, S. and Al–Ansari, N.
Privatisation as a financing alternative for desalination plants in Bahrain 97(1994)281
Khawaji, A.D. and Wie, J.M.
Potabilization of desalination water at Madinat Yanbu Al–Sinaiyah 98(1994)135
Khedr, M.G.A., Badran, M.M.H. and El Azhari, A.A.
Pitting corrosion behavior of aluminium in water desalination plants 72(1989)351
Khordagui, H., see El–Shal, W. 99(1994)149
Khorfan, S.
The influence of pollution on desalination 93(1993)443

Khow, J., see Rachwal, A.J. 97(1994)427
Kiefer, C.A., see Colon, W.J. 78(1990)157
Kikuchi, K., see Ohta, K. 78(1990)177
Kimmerle, K. and Strathmann, H.
Analysis of the structure–determining process of phase invertion membranes 79(1990)283
Kimrey, J.O.
Artificial recharge of groundwater and its role in water management 72(1989)135
Kimura, S., see Ohta, K. 78(1990)177
Kimura, S., see Ohta, K. 81(1991)107
Kimura, S., see Toyama, S. 82(1991)221
Kimura, S., see Tsuru, T.T. 81(1991)219
Kimuro, H., see Murata, M. 98(1994)217
Kipps, J.A.L., see Hayes, D.W.J. 88(1992)301
Kiriyama, K., Tanaka, Y. and Mori, I.
Field test on a methane fermentation treatment system incorporating a membrane module for municipal sewage 98(1994)199
Kitaoka,K., see Kohsaka, K. 73(1989)429
Kiyozuka, M., see Shirahama, E. 98(1994)505
Klinge, H., see Bender, H. 72(1989)161
Klinko, K., see Wilf, M. 96(1994)465
Klyikov, D.M., see Vasjukov, V.I. 89(1992)21
Kobayashi, S., see Murase, K. 73(1989)111
Kohsaka, K., Kitaoka, K., Masuyama, Y., Oshiyama, M., Yamamoto, M. and Kashida, K.
Light gauge welded titanium tubes for seawater desalination plants 73(1989)429
Kollbach, J.St., see Rautenbach, R. 81(1991)285
Kominek, O., see Mavrov, V. 91(1993)225
Kondo, M. and Sato, H.
Treatment of wastewater from phenolic resin process by pervaporation 98(1994)147
Kong, Y., see Wu, Y. 80(1991)235
Konieczny, K., see Bodzek, M. 80(1991)43
Konieczny, K., see Bodzek, M. 94(1993)81
Konieczny, K. and Bodzek, M.
Ultrafiltration of demineralized water containing colloidal silica 79(1990)145
Konievzky, K., see Bodzek, M. 94(1993)261
Konievzky, K., see Bodzek, M. 94(1993)289
Kopp, C., see Vaid, A. 83(1991)137
Kopp, W., see Rautenbach, R. 72(1989)339
Koren, A. and Nadav, N.
Mechanical vapour compression to treat oil field produced water 98(1994)41
Korin, E., see Korngold, E. 91(1993)187
Korngold, E. and Korin, E.
Air sweep water pervaporation with hollow fiber membranes 91(1993)187
Korngold, E. and Volfi, D.
Water desalination by ion–exchange hollow fibers 84(1991)123
Korngold, E.
Iron removal from tap water by a cation exchanger 94(1993)243
Koter, S.
Analysis of an electrodialysis unit on the basis of irreversible thermodynamics 95(1994)139
Koushiri, H. and Kubo, Y.
The use of hollow fiber filters to improve condendate purification efficiency in thermal power plants 98(1994)361
Koutsoukos, P.G., see Dalas, E. 78(1990)403
Kramer, B., see Van Dijk, J.C. 81(1991)229
Kremen, S., Wilf, M. and Lange, P.
Operating results and economics of single stage and two– stage large size sea water reverse osmosis systems 82(1991)15
Kroner, K.H. , see Riesmeier, B. 77(1990)219
Kronmiller, D.L.
What every reverse osmosis water system manager should know 98(1994)401
Krumbholz, Ch., see Gudernatsch, W. 79(1990)249
Kubo, Y., see Koushiri, H. 98(1994)361
Kudela, V., see Bleha, M. 86(1992)173
Kuepper, T., see Silbernagel, M. 88(1992)311
Kugawa, Y., see Honda, T. 98(1994)327
Kula, M.R., see Riesmeier, B. 77(1990)219
Kulkarni, B.D., see Selvaraj, R. 101(1995)185
Kulozik, U., see Schwab, C.90(1993)173
Kumano, A., see Fujiwara, N. 96(1994)431
Kumano, A., Matsui, Y., Numata, K., Fujiwara, N., Iwahashi, H. and Nagai, M.
Performance change formula of cellulose triacetate hollow fiber RO membranes due to oxidation and hydrolysis 96(1994)451

Kumar, A., see Adhikari, R.S. 91(1993)1
Kunst, B., see Kastelan–Kunst, L. 83(1991)331
Kunst, B., see Sambrailo, D. 81(1991)209
Kupcu, S.S., Sara, M. and Sleytr, U.B.
Influence of covalent attachment of low molecular weight substances on the rejection and adsorption properties of crystalline proteinaceous ultrafiltration membranes 90(1993)65
Kupitz, J., see Aboughalya, E.D. 81(1991)505
Kupitz, J. and Crijns, M.J.
Perspectives of nuclear energy for seawater desalination 99(1994)299
Kurdali, A., see Husain, A. 92(1993)43
Kurdali, A., see Rao, G.P. 97(1994)507
Kurdali, A., Woldai, A. and Al–Gobaisi, D.M.K.
Knowledge based systems for desalination processes 92(1993)295
Kurihana, M., Fusaoka, Y., Sasaki, T., Bairinji, R. and Uemura, T.
Developement of crosslinked fully aromatic polyamide ultra–thin composite membranes for seawater desalination 96(1994)133
Kurilova, E.B., see Rifert, V.G. 96(1994)183
Kusumoto, H., see Tanaka, S. 96(1994)191
Kutbi, I.I.
A systematic approach for detection of malfunctions in equipment of nuclear desalination plants during operation 81(1991)451
Kutbi, I.I. and Al Sulaiman, K.M.
Features of nuclear desalination systems for Saudi Arabia 97(1994)327
Kutowy, I., see Tam, C.M. 89(1993)275
Kutowy, O., see Fouda, A.E. 90(1993)209
Kuznetsova, I.K., see Orlov, N.S. 84(1991)213
Kwang, Won Seul and Sang, Yong Lee
Effect of liquid level on flow behaviors inside a multi–stage flash evaporator – a numerical prediction 85(1992)161

L

Labar, M.P., Schleicher,R.W., Loh,G. and Walters, A.
Power and water co–production feasibility study of Florida power and light power plants 88(1992)267
Labayru, R., see White, D.A. 84(1991)177
Lai, L.L., see Abdulbary, A.F. 92(1993)323
Langdown, D.J., see McGlone, K.J. 96(1994)397
Lange, P., see Kremen, S. 82(1991)15
Lange,P.H., Laverty,P.E., Edwards,E.D. and Watson, I.
THM precursor removal and softening Ft. Myers 12 MGD RO membrane plant, Florida, U.S.A. 76(1989)39
Larger, D., see Morsy, H. 96(1994)59
Largier, J., see Del Bene, J.V. 97(1994)365
Lariviere, J.A. see Yeh, G.C. 81(1991)129
Larson, R., Albers, W., Beckman, J. and Freeman, S.
The carrier–gas procces– a new desalination and concentration technology 73(1989)119
Latapi, F.E., see Fernandez, C.A. 73(1989)61
Latif, N.A., Al–Awadi, F.M. and Colenutt, B.A.
Trihalomethanes (THMs) formation in multi–stage flash (MSF) distillation plants 74(1989)205
Lau, W.W.Y., see Wang, Y. 95(1994)155
Laverty, P.E., see Lange, P.H. 76(1989)39
Lawrence, S.A., see Tiwari, G.N. 85(1992)135
Lazare, L.
The Puraq seawater desalisation process – an update 85(19921)361
Le Goff, J., see Le Goff, P. 82(1991)153
Le Goff, P., Le Goff, J. and Jeday Razar, M.
Development of a rugged design of high efficiency multi–stage solar still 82(1991)153
Leahy III, T.M., see Smith, B.E. 78(1990)99
Lebedev, A.H., see Lebedeva, O.H. 73(1989)457
Lebedeva, O.H., Lebedev, A.H., Fokin, M.N., Lomakina, S.V., Severona, T.A. and Gromov, B.A.
Corrosion behaviour of aluminium–base alloys in desalination plants 73(1989)457
Lee, S., see Seul, K. 79(1990)13
Lefebvre, M.S., see Sheng, J. 80(1991)113
Lefebvre, M.S., see Sheng, J. 91(1993)253
Leitner, G.F.
Costs for seawater desalination in real terms, 1979 through 1989, and projections for 1999 76(1989)201

Leitner, G.F.
Total water costs on a standard basis for three large, operating SWRO plants 81(1991)39
Leitner, G.F. and Leitner, W.
Life cycle and present worth cost concepts, application for large desalting plants? 97(1994)291
Leitner, W.
Potable water desalination in the U.S. Capital costs, operating costs and water selling prices 88(1992)279
Leitner, W., see Leitner, G.F. 97(1994)291
Leksovskaia, N.P., Chereisky, Z.Yu., Ruban I.G. and Nachinkin, O.I.
Effect of the solution–gel–solid system transition on the properties of microfiltration membranes 86(1992)91
Leon, J., see Gregorzewski, A. 82(1991)145
Lewis, J.W., Ferrara, C.M. and Watson, I.C.
Desalting oil field by–product water 87(1992)229
Leysen, R., see Doyen, W. 79(1990)163
Li, G., see Ji, J. 85(1992)297
Li, Q., see Yu, B. 90(1993)335
Li–Ning, W., see Yu–Rong, L. 96(1994)145
Liang, O.B., see Radiman, C.L. 93(1993)273
Liberti, L. and Lopez, A.
Strategy for wastewater reuse for agriculture in Southern Italy 83(1991)173
Light, W.G., see Sulpizio, T.E. 74(1989)187
Lin, B.Y., see Hsieh, K.H. 71(1989)97
Linde, K., Jonssön, A. and Wimmerstedt, R.
Treatment of three types of landfill leachate with reverse osmosis 101(1995)21
Linder, C., see Perry, M. 71(1989)233
Lindheimer, A., see Chapotot, A. 101(1995)141
Lindheimer, A., see Pourcelly, G. 80(1991)193
Lindheimer, A. Boudet–Dummy, M. and Gavach, C.
Electrodialysis of hydrochloric acid 94(1993)151
Lining, W., see Yurong, L. 83(1991)375
Linnikov, O.D., Podbereznyi, V.L. and Rodina, I.V.
Inhibition of scale formation from natural salt waters. Inhibitor effect on chemical composition of the forming scale 82(1991)359
Linnikov, O.D., Podbereznyi, V.L., Anokhina, E.A. and Guseva, O.V.
Efficiency of two scale prevention methods for desalting Caspian seawater 89(1993)311
Linnikov, O.D., Podbereznyi, V.L., Belyshev, N.A., Balakin, V.M. and Talankin, V.S.
Inhibition efficiency of scale formation by chemical additives 74(1989)355
Lior, N., see Miyatake, O. 91(1993)51
Lipp, P., Gorge, B. and Gimbel, R.
A comparative study of fouling–index and fouling–potential of waters to be treated by reverse osmosis 79(1990)203
Liu, J., see Wu, Y. 80(1991)235
Liu,T., Xu,S., Zhang,D., Sourirajan, S. and Matsuura, T.
Pore size and pore size distribution on the surface of polyethersulfone hollow fiber membranes 85(1991)1
Livnat, A.
Desalination in Israel: emerging key component in the regional water balance formula 99(1994)275
Loewy, T.
The case for seawater desalination to solve the water shortage in the Gaza Strip 99(1994)447
Loh, G., see Labar, M.P. 88(1992)267
Lohman, E.M.
Operating report of the largest reverse osmosis desalting plant 96(1994)349
Lomakina, S.V., see Lebedeva, O.H. 73(1989)457
Lopez, A., see Liberti, L. 83(1991)173
Lopez, V., see Chapotot, A. 101(1995)141
Lora, J. and Arnal, J.M.
The effect of agitation on reverse osmosis desalination 79(1990)261
Low, S.C. and Tay, J.H.
Vacuum desalination using waste heat from a stream turbine 81(1991)321
Lozier, J.C., Smith, G., Chapman, J.W. and Gattis, D.E.
Selection, design and procurement of a demineralization system for a surface water treatment plant 88(1992)3
Lozier, J., Oklejas, E. and Silbernagel, M.
The hydraulic turbocharger: A new type of device for the reduction of feed pump energy consumption in reverse osmosis systems 75(1989)71
Lu, H.S., see Chen, J. 97(1994)319

Luteneske, N.E., see Forgach, D.J. 80(1991)275
Luu, C.A.
Improved chelators and sequestrants for Army Reverse Osmosis Water Purification Units (ROWPUs) 97(1994)165

M

Maaje, A.Y.
Solar still performance 82(1991)207
Mabrook, B.
Environmental impact of waste brine disposal of desalination plants, Red Sea, Egypt 97(1994)453
Mabrouk, B., see El Sadek, S. 88(1992)161
Mace, B.
Design of compact, containerized desalination plants 76(1989)53
Macoun, R., see Schofield, R.W. 77(1990)279
Madani, A.A.
Economics of desalination for three plant sizes 78(1990)187
Madani, A.A.
Zero–discharge direct–contact freezing/solar evaporator desalination complex 85(1992)179
Madani, A.A. and Aly, S.E.
A combined RO/freezing system to reduce inland rejected brine 75(1989)241
Madani, A A. and Zaki, G M. Prospective of two small water producing units 73(1989)167
Madsen, R.F., Thomassen, J.R., Vial, D. and Binot, R.A.
The proposal for the completely closed system in the Columbus Space Station 83(1991)123
Maeda, Y., see Tsuyumoto, M. 80(1991)139
Maejima, A., see Iso, S. 97(1994)389
Maheshwari, G.P., see Suri, R.K. 71(1989)165
Maheshwari, G.P., Al–Ramadhan, M. and Al–Abdulhadi, M.
Energy requirement of water production in dual–purpose plants 101(1995)133
Majewska–Nowak, K.
Synthesis and properties of polysulfone membranes 71(1989)83
Majewska–Nowak, K., Winnicki, T. and Wisniewski, J.
Effect of flow conditions on ultrafiltration efficiency of dye solutions and textile effluents 71(1989)127
Majewska–Nowak, K., Wisniewski, J. and Winnicki, T.
Formation of UF rod–type membranes 78(1990)417
Majewska–Nowak, K., Wisniewski, J. and Winnicki, T.
Modification of the properties of rod–type membranes by varying typical parameters of the casting process for phase inversion membranes: a comparative study 89(1992)47
Makkawi, B., see Shams El Din, A.M. 97(1994)373
Makkawi–Ahmed, B. and Damodaram, A.
An approach to improving the effectiveness of a large–scale complex utility organization 93(1993)365
Makwana, B.S., see Narayanan, P.K. 84(1991)201
Malek, A., Hawlader, M.N.A. and Ho, J.C.
A lumped transport parameter approach in predicting B 10 RO permeator performance 99(1994)19
Malek, A., Hawlader, M.N.A. and Ho, J.C.
Simplified Ohya–Soupirajan analysis for predicting permeator performance 91(1993)265
Malewar, C.G., see Bal, A.S. 83(1991)325
Malik, A.L.A., Younan, N.G., Rao, B.J.R. and Mousa, K.M.
Skid mounted mobile brackish water reverse osmosis plants at different sites in Kuwait 75(1989)341
Malik, A.U., see Hassan A.M. 74(1989)157
Malik, A.U. and Al–Fozan, S.A.
Localized corrosion of AISI 316L S.S in Arabian Gulf seawater 97(1994)199
Malik, A.U., Mayan Kutty, P.C., Andijani, I.N. and Al–Fozan, S.A.
Materials performance and failure evaluation in SWCC MSF plants 97(1994)171
Malik, A.U., Siddiki, N.A. and Andijani, I.N.
Corrosion behavior of some highly alloyed stainless steels in seawater 97(1994)189
Malmgren–Hansen, B., see Sorensen, T.S. 80(1991)293

Manolov, S., see Mavrov, V. 83(1991)289
Manwell, J.F. and McGowan, J.G.
Recent renewable energy driven desalination system research and development in North America 94(1993)229
Marinos–Kouris, D., see Fountoukidis, E. 72(1989)293
Marinos–Kouris, D., see Fountoukidis, E. 79(1990)47
Marinos–Kouris D., see Papafotiou, K. 82(1991)131
Marinov, M., see Velikova, S. 91(1993)293
Marks, G., see Watson, B. 96(1994)369
Maroulis, Z., see Fountoukidis, E. 79(1990)47
Maroulis, Z.B., see Fountoukidis, E. 72(1989)293
Marrelli, L., see Barba, D. 71(1989)137
Marrelli, L., see Barba, D. 71(1989)289
Marshall, A.D., Munro, P.A. and Trägårdh, G.
The effect of protein fouling in microfiltration and ultra–filtration on permeate flux, protein retention and selectivity: A literature review 91(1993)65
Martin, C.J.
Remediation of groundwater contaminated by olive processing waste 88(1992)253
Martynova, O.I.,Vasina, L.G., Boglovsky, A.V. and Gyseva, O.V.
Alkaline scale formation restriction in desalination plants by means of antiscalant additives 83(1991)55
Martynova, O.I., Vasina, L.G., Boglowsky, A.V. and Govert, A.A.
Effect of the correction of the second dissociation constant of carbonic acid on carbonate equilibrium calculations 71(1989)337
Marwan, M.A.
Short–cut method for estimating membrane number, product salinity and replacement ratio 94(1993)201
Masahiro, H. and Yoshioka, T.
Studies of ion–exchange fiber "IONEX" for precoating material 91(1993)319
Masarczyk, J., Hansson, C.H., Solomon, R.L. and Hallmans, B.
Desalination plant at KWK Debiensko, Poland: Advanced mine drainage water treatment engineering for zero discharge 75(1989)259
Maschlanka, J., see Geghardt, F. 96(1994)89
Maslehuddin, M., see Saricimen, H. 78(1990)327
Massarani, A. and Fusetti, F.
Some design and monitoring criteria for large/medium MSF plants 92(1993)377
Masuyama, Y., see Kohsaka, K. 73(1989)429
Masuzaki, M., see Kawanishi, T. 97(1994)415
Mathew, K., see Robinson, R. 86(1992)9
Matsui, Y., see Kumano, A. 96(1994)451
Matsui, Y., see Nita, K. 96(1994)33
Matsumoto, K., see Zhou, J. 80(1991)15
Matsumoto, S., see Kawanishi, T. 97(1994)415
Matsuura, T., see Fouda, A.E. 90(1993)209
Matsuura, T., see Liu, T. 85(1991)1
Matsuura, T., see Zhang, S.Q. 80(1991)211
Mavrov, V., see Velikova, S. 91(1993)293
Mavrov, V., see Velikova, S. 94(1993)1
Mavrov, V. and Velikova, S.
Transport characteristics of the reverse osmosis thin film composite membranes 83(1991)279
Mavrov, V., Dobrevsky, I., Bonev, B. and Petkov, N.
Effect of magnesium hydroxide (or hydrated MgO) formed under alkaline conditions on brackish water pretreatment for reverve osmosis 85(1992)335
Mavrov, V., Mavrova, Zh., Georgieva, V. and Bonev, B.
Condensate re–use by ultrafiltration oil removal 83(1991)195
Mavrov, V., Petrova, I., Davarsky, K. and Manolov, S.
Studies of the UF–25–PAN membrane characteristics in the complexing–UF process of Cu, Ni, and Co with polyvinylalcohol 83(1991)289
Mavrov, V., Pusch, W., Kominek, O. and Wheelwright, S.
Concentration polarization and water splitting at electrodialysis membranes 91(1993)225
Mavrova, Zh., see Mavrov, V. 83(1991)195
May, S., see Awerbuch, L. 76(1989)189
Mayan Kutty, P.C., see Malik, A.U. 97(1994)171

Mayankutty, P.C., Nomani, A.A. and Thankachan, T.S.
Carry over of some high molecular weight organics from seawater to MSF distillates 97(1994)401
Mayankutty, P.C., Nomani, A.A. and Thankachan, T.S.
Monitoring of organic compounds in feed and product water samples from MSF plants in the Eastern coast of Saudi Arabia 74(1989)243
Mc Gregor, I.D. and Barton, A.
Factors affecting the useful economic life of large MSF distillers 93(1993)387
McCarthy, A.M., see Yeh, G.C. 81(1991)161
McDonogh, R.M., Bauser, H., Stroh, N. and Chmiel, H.
Concentration polarisation and adsorption effects in cross–flow ultrafiltration of proteins 79(1990)217
McGlone, K.J., Darton, E.G., Langdown, D.J. and Rahman, A.
Factors affecting the design of a pre–treatment system for a 1,200 m3/d RO plant in Riyadh, Saudia Arabia with an iron–rich, 60ofeed water 96(1994)397
McGowan, J.G., see Manwell, J.F. 94(1993)229
McGragor, I.D. and Moore, H.
Improvement in distiller production and performance ratio after modification of the stage venting system 93(1993)159
McHaney, S.X.
Satellite wastewater reclamation plants: how to get what you bargain for 88(1992)215
McLellan, F., see Dal–Cin, M.M. 101(1995)155
Mehandjiev, M.R.
Membrane desalination and water re–use technologies improvement by thermodynamics of accumulation processes regulatories 83(1991)245
Mehta, M.H., see Tare, M.M. 81(1991)57
Mehta, M.H., see Velikova, S. 94(1993)1
Melaxos, P.J. and Morin, O.J.
Surface water discharge of reverse osmosis concentrates 78(1990)27
Melli, T., see Montagna, J.M. 81(1991)437
Mellis, R., see Rautenbach, R. 101(1995)105
Mellis, R., see Rautenbach, R. 95(1994)171
Menon, K.S. and Spencer, H.G.
Modeling multiion transport in hyperfiltration membranes with fixed charges 80(1991)31
Meyer–Blumenroth, U., see Rautenbach, R. 77(1990)295
Miah, M.R.
Chemical tests for proper unit operation of water purification plant by membrane and ion exchange techniques 93(1993)431
Micale, G., see Zannoni, R. 82(1991)337
Michels, T.
Recent achievements of low temperature multiple effect desalination in the western areas of Abu Dhabi, UAE 93(1993)111
Middleton, E., see Humphries, J.R. 99(1994)329
Miezis, Y., see Sivik, B. 77(1990)181
Mikulasek, P. and Cakl, J.
Removal of industrial latex dispersions from waste waters using microporous alumina membranes 95(1994)211
Millequant, M., see Baudin, I. 86(1992)237
Miller, G.A. and Pontek, R.
Case study: Marin County, Florida. A utility's experience developing a new reverse osmosis treatment system 87(1992)249
Milliken, J.G.
Water resources management in arid climates 72(1989)173
Mills Jr., W.R. and Watson, I.C.
Water Factory 21–The logical sequence 98(1994)265
Minami, K.
A trial of high performance anaerobic treatment on wastewater from a kraft pulp mill 98(1994)273
Minasian, A.N., see Al–Abbasi, M.A. 86(1992)317
Minato, A., see Hattori, S. 99(1994)345
Minghi, S., see Jiang, J. 71(1989)107
Minling, F., see Jiang, J. 71(1989)107
Misra, B.M., see Prabhakar, S. 73(1989)37
Misra, B.M., see Sadhukhan, H.K. 96(1994)249
Missimer, T.M.
Groundwater as a feedwater source for membrane treatment plants: hydrogeologic controls on water quality variation with time 98(1994)451

Missimer, T.M., Walker, C.W. and Bloetscher, F.
Use of aquifer storage and recovery technology to improve membrane water treatment plant efficiency, Collier County, Florida 87(1992)269
Mitcheson, G.R., see Hick., D.C. 73(1989)81
Miur, J.W.H., see Finan, M.A. 73(1989)341
Miura, M. and Harada, K.
Application of concentrator on the treatment of industrial waste water 98(1994)375
Miyatake, O.
Comparative study of flash evaporation rates 96(1994)163
Miyatake, O., Hashimoto, T. and Lior, N.
The relationship between flow pattern and thermal non–equilibrium in the multi–stage flash evaporation process 91(1993)51
Moch, I., Jr.
A twenty year case history– the B–9 hollow fiber permeator 74(1989)171
Moch, I., Jr., see Ahmed, A.M. 82(1991)3
Moch, I., Jr., see Eckman, T.J. 96(1994)11
Mochizuki, S., see Palecek, S.P. 90(1993)147
Mody, R.C., see Rangarajan, R. 85(1991)81
Mogilner, I.D., see Barinov, V.V. 88(1992)179
Mohammed, R.A., see Shams El Din, A.M. 71(1989)313
Mohammed, R.A., see Shams El Din, A.M. 99(1994)73
Mohan, D., see Rangarajan, R. 85(1991)81
Moie, L., see Changluo, Z. 71(1989)1
Molena, J., see Salem, K. 101(1995)123
Molenat, J., see Elmidaoui, A. 101(1995)39
Molinari, R., see Calabro, V. 78(1990)257
Mollica, A., see Sommariva, C. 97(1994)53
Montagna, J.M., Scenna, N.J. and Melli, T.
Some theoretical aspects in simulation of multiple stage desalination systems 81(1991)437
Moody, C.D., see Ammerlaan, A.C.F. 88(1992)33
Moody, C.D., see Ammerlaan, A.C.F. 96(1994)421
Moody, C.D., see Murphy, A.P. 91(1993)199
Moody, C.D., see Suemoto, S.H. 96(1994)43
Moore, H., see McGragor, I.D. 93(1993)159
Mora, J.C., see Sheng, J. 80(1991)71
Mori, I., see Kiriyama, K. 98(1994)199
Morin, O.J.
Design and operating comparison of MSF and MED systems 93(1993)69
Morin, O.J., see Hess, G. 87(1992)55
Morin, O.J., see Melaxos, P.J. 78(1990)27
Morisaki, S., see Kashida, K. 97(1994)147
Moriyama, N. see Fukumoto, Y. 83(1991)65
Morris, R.M.
The development of the multi–stage flash distillation process: A designer's viewpoint 93(1993)57
Morrison, G.L., see Hogan, P.A. 81(1991)81
Morsi Abou El Ela, M.
New and developed material and chemicals in desalination technology 93(1993)529
Morsy, H., Larger, D. and Genthner, K.
A new multiple–effect distiller system with compact heat exchangers 96(1994)59
Morsy, M.G.
Towards less expensive fresh water from the sea 93(1993)397
Motomi, K., see Oikawa, E. 101(1995)69
Mottar, J., see Doyen, W. 79(1990)163
Mousa, K.M., see Malik, A.L.A. 75(1989)341
Mrowiec–Bialon, J., see Turek, M. 101(1995)57
Muhurji, M., Faggard, G., Van Der Mast, V. and Imai, H.
Jeddah 1 RO plant–phase 1:15 MGD reverse osmosis plant 76(1989)75
Mukhamer, S. and Ibrahim, J.
Egyptian experience in utilizing recycled water for irrigation purposes 93(1993)633
Munari, S., see Abaticchio, P. 78(1990)235
Munari, S., Bottino, A., Camera Roda, G. and Capannelli, G.
Preparation of ultrafiltration membranes. State of the art 77(1990)85
Muniz, A. and Skehan, S.T.
Disposal of concentrate from brackish water desalting plants by use of deep injection wells 78(1990)41
Munneke, B.R., see Van Dijk, J.C. 81(1991)229
Munro, P.A., see Marshall, A.D. 91(1993)65

Muragishi, H., see Ikeda, T. 98(1994)391
Murakami, M.
Hydro–powered reverse osmosis (RO) desalination for co–generation: A Middle East case study 97(1994)301
Murakami, M.
Water for peace master plan of the Jordan river system 98(1994)459
Muramoto, S. and Nishino, J.
An advanced purification system combining ozonation and BAC, developed by The Bureau of Waterworks, Tokyo Metropolitan government 98(1994)207
Murase ,K., see Toyama, S. 82(1991)221
Murase, K., Kobayashi, S., Nakamura, M. and Toyoma, S.
Development and application of a roof type solar still 73(1989)111
Murata, M., Kimuro, H., Kanekuni, N., Ohkuma, N., Ogasawara, H.
Small–scale sewage plant experiment by pretreatment and methanization of suspended solid 98(1994)217
Murphy, A.P.
Deterioration of cellulose acetate by transition metal salts in aqueous chlorine 85(1991)45
Murphy, A.P., Rowley, L.H. and Moody, C.D.
Dilute aqueous formaldehyde oxidation with hypochlorous acid 91(1993)199
Musatti, M., see Zannoni, R. 82(1991)351

N

Nachinkin, O.I., see Leksovskaia, N.P. 86(1992)91
Nada, N., Iwahashi, H. and Umemori, F.
Test result of intermittent chlorine injection method in Jeddah 1 plant 96(1994)283
Nadav, N., see Koren, A. 98(1994)41
Nagai, H., see Saitoh, T. 98(1994)249
Nagai, M., see Fujiwara, N. 96(1994)431
Nagai, M., see Kumano, A. 96(1994)451
Nagai, M., Iwahashi, H., Hayashi, Y. and Ogino, Y.
The behavior of oxidizing/reducing agent in seawater 96(1994)291
Nagashima, S., see Nakagawa, T. 90(1993)183
Nakagawa, T., see Higuchi, A. 90(1993)127
Nakagawa, T., Nagashima, S. and Higuchi, A.
Synthesis and gas transport properties of new copolymer membranes with trimethylsilyl groups 90(1993)183
Nakajima, K., see Saitoh, T. 98(1994)249
Nakamura, M., see Murase, K. 73(1989)111
Nakamura, M., see Toyama, S. 82(1991)221
Nakamura, T., see Itoh, S. 98(1994)127
Nakane, T., see Yanagishita, H. 90(1993)55
Nakao, S–I., see Tsuru, T.T. 81(1991)219
Narayana, A., see Gupsa, S.K. 86(1992)77
Narayanan, P.K., see Adhikari, S.K. 84(1991)189
Narayanan, P.K., Thampy, S.K., Dave, N.J., Chauhan, D.K., Makwana, B.S.,Adhikari, S.K., and Indusekhar, V.K.
Performance of the first sea water electrodialysis desalination plant in India 84(1991)201
Neel, J., see Schaetzel, P. 90(1993)259
Neelakantan, P.S., see Turner, A.G. 98(1994)285
Neethling, J.B., see Cheng, R. 85(1991)33
Nefedov, O.M.
General aspects of water re–use in the USSR 81(1991)282
Negishi, Y., see Haruhiko, H. 94(1993)167
Negri, E., see Gaeta, S.N. 83(1991)383
Neplenbroek, A.M., Bargeman, D. and Smolders, C.A.
The stability of supported liquid membranes 79(1990)303
Nerell, D.C., Statton, J.A. and Borsteins, G.
Baja California desalination project feasibility study report. Large scale dual purpose hybrid desalination plant 88(1992)123
Nessim, R.B., see Hamdona, S.K. 94(1993)69
Nguyen, Q.T., see Schaetzel, P. 90(1993)259
Nguyen, T.D. and Solomon, B.A.
New one–step process for preparation of microporous composite polysulfone/polyurethane hollow fiber membranes 90(1993)3

Nijhawan, R.K., see Al–Owais, A.A. 73(1989)327
Nikitin, Ju.G., see Rifert, V.G. 74(1989)363
Nilsson, J.L., see Persson, K.M. 80(1991)123
Ninic, N., Novakovic, M., Dimitrijevic, S. and Savovic, S.
Desalination with a reversible flashing process 89(1993)263
Nishino, J., see Muramoto, S. 98(1994)207
Nita, K., Numata, K., Gotoh, S. and Matsui, Y.
Application of chlorine–resistant polyamide RO membrane with a hollow fiber configuration 96(1994)33
Nomani, A.A., see Mayankutty, P.C. 97(1994)401
Nomani, A.A., see Mayankutty, P.C. 74(1989)243
Nooijen, W.F.J.M. and Wouters, J.W.
Optimizing and planning of seawater desalination 89(1992)1
Norbeta de Pinho, M., see Afonso, M.D. 85(1991)53
Nordstrom, J. and Olsson, J.
Stainless steel for high pressure piping in SWRO plants. Are there any options? 97(1994)213
Noshita, M.
Reverse osmosis seawater desalination for power plant 96(1994)259
Novakovic, M., see Ninic, N. 89(1993)263
Nozoye, H., see Yanagishita, H. 90(1993)55
Numata, K., see Fujiwara, N. 96(1994)431
Numata, K., see Kumano, A. 96(1994)451
Numata, K., see Nita, K. 96(1994)33
Numata, K., see Tanaka, S. 96(1994)191
Nusrat Saeed, M.
Fuel efficiencies, allocation of fuels and fuel costs for power and desalination in dual purpose plants: a novel methodology 85(1992)213
Nyström, M.
Concentration by U.F. of hazardous effluents extracted into emulsions from water solutions; examples with aniline and azobenzene 81(1991)117

O

O'Donnell, J., see Rachwal, A.J. 97(1994)427
Oba, O., see Okada, T. 98(1994)335
Obermeyer, H.D., Julovik, U. and Kessler, H.G.
Controlled deposit formation to influence the retention of solutes in reverse osmosis and ultrafiltration 90(1993)161
Obermoller, H.R., see White, D.A. 84(1991)177
Ogasawara, H., see Murata, M. 98(1994)217
Ogino, Y., see Fujiwara, N. 96(1994)431
Ogino, Y., see Nagai, M. 96(1994)291
Ohkuma, N., see Murata, M. 98(1994)217
Ohkuma, N., Ohnishi, M. and Okuno, Y.
Waste water recycling technology using a rotary disk module 98(1994)49
Ohnishi, M., see Ohkuma, N. 98(1994)49
Ohta, K., see Okabe, T. 93(1993)235
Ohta, K., Hayano, I., Okabe, T., Goto, T., Kimura, S. and Ohya, H.
Membrane distillation with fluoro–carbon membranes 81(1991)107
Ohta, K., Kikuchi, K., Hayano, T., Okabe, T., Goto, T., Kimura, S. and Ohya, H.
Experiments on sea water desalination by membranes distillation 78(1990)177
Ohya, H., see Ohta, K. 78(1990)177
Ohya, H., see Zhou, J. 80(1991)15
Ohya, H.
State of the art ultrapure water production in Japan 80(1991)159
Ohya, H., see Ohta, K. 81(1991)107
Oikawa, E., Hibi, K., Sakazume, N., Endo, H., Honda, T. and Aoki, T.
Synthesis of poly(2,5–pyridinedicarboxylic acid–alt–hydrazine) and reverse osmosis performance of its membranes 94(1993)25
Oikawa, E., Shingai, M., Motomi, K. and Aoki, T.
Pervaporation separation of water–ethanol mixture through the membrane of poly(thioether–amide)s prepared from aromatic amide and 1,4–benzenedithiol 101(1995)69
Oinuma, N., Sawada, S. and Yabe, K.
New pretreatment systems using membrane separation technology 98(1994)59
Okabe, T., see Ohta, K. 78(1990)177
Okabe, T., see Ohta, K. 81(1991)107

Okabe, T., Hirai, M., Ohta, K., Ishii, T. and Goto, T.
Preliminary experiment on seawater pretreatment with UF membranes for RO desalination 93(1993)235
Okada, T. and Oba, O.
Recycling of waste water from buildings by application of membrane 98(1994)335
Oklejas, E., see Lozier, J. 75(1989)71
Oklejas, E., see Silbernagel, M. 88(1992)311
Oklejas, E., Jr.
The hydrolic turbochargerTM for interstage feed pressure boosting. Impact on membrane performance 88(1992)289
Okuno, Y., see Ohkuma, N. 98(1994)49
Oldfield, J.W. and Kain, R.M.
Economic material selection for reverse osmosis desalination plants 84(1991)227
Olivieri, A.W., see Thompson, K. 88(1992)201
Olsson, J., see Nordstrom, J. 97(1994)213
Olsson, J. and Erbing, M.L.
Experiences with a highly alloyed stainless steel in desalination plants and other Arabian Gulf industrial plants 73(1989)267
Olsson, J.O. and Groth, H.L.
Evaporators made of solid duplex staintess steel. A new approach to reduce costs 97(1994)67
Ophir, A.
Low temperature, multi–effect distillation (LT–MED) for cogeneration yielding the most efficient sea water desalination system 84(1991)85
Ophir, A. and Gendel, A.
Adaptation of the Multi–Effect Distillation (MED) process to yield high purity distillate for utilities, refineries and chemical industry 98(1994)383
Oren, Y. and Egozy, Y.
Studies on polarity reversal with continuous deionization 86(1992)155
Orlov, N.S., Kuznetsova, I.K. and Borodkin, A.G.
Comparison of different channel constructions and their efficiency in membrane cells 84(1991)213
Ortiz, R.S., see Fuqua, T.M. 88(1992)243
Oshiyama, M., see Kashida, K. 97(1994)147
Oshiyama, M., see Kohsaka, K. 73(1989)429
Osman, H., Sultan, A.H., Radif, A. and Aziz, S.A.
Large pumps in power and desalination plants 93(1993)181
Ossiff, J.
Emerging legal issues in siting desalisation facilities in California 87(1992)1
Oswald, W.J.
Use of wastewater effluent in agriculture 72(1989)67
Otani, Y., see Shindo, N. 98(1994)155
Otten, Z.E.H., see Van Boxtel, A.J.B. 90(1993)363

P

Palecek, S.P., Mochizuki, S. and Zydney, A.L.
Effect of ionic environment on BSA filtration and the properties of BSA deposits 90(1993)147
Pansini, M. and Colella, C.
Dynamic data on lead uptake from water by chabazite 78(1990)287
Pansini, M., Colella, C. and de Gennaro, M.
Chromium removal from water by ion exchange using zeolite 83(1991)145
Pantano, G., see Calabro, V. 78(1990)257
Papafotiou, K., Assimacopoulos, D. and Marinos–Kouris D.
A knowledge–based system for the design of reverse osmosis desalination plants 82(1991)131
Pareek, N.K., Aboudher, A., Hassan Beck, H.M. and Elgarni, M.M.
Operating experience of MSF desalination plant at the Abu Kammash Chemical Complex 73(1989)417
Parker, J.M. and Ribbins, P.D.
Privatization of government system 97(1994)313
Patra, R.N., see Prabhakar, S. 73(1989)37
Paul, D., see Smith, B.E. 78(1990)99
Paulson, D.J., see Rudie, B.J. 90(1993)107
Pavlova, St., and Prodanova, St.
Reducing the amount of microorganisms in the water for membrane demineralisation 91(1993)115
Peinemann, K.–V., see Fritsch, D. 90(1993)235

Pellufo, P., see Borsani, R. 96(1994)325
Peluffo, P., see Sommariva, C. 97(1994)53
Pepper, D.
RO for improved products in the food and chemical industries and water treatment 77(1990)55
Peres Castillo, J., see Veza, J.M. 85(1992)147
Perlman, J.L., see Sulpizio, T.E. 74(1989)187
Perry, M. and Linder, C.
Intermediate reverse osmosis ultrafiltration (RO UF) membranes for concentration and desalting of low molecular weight organic solutes 71(1989)233
Persson, K.M. and Nilsson, J.L.
Fouling resistance models in MF and UF 80(1991)123
Pervov, A.G.
Scale formation prognosis and cleaning procedure schedules in reverse osmosis systems operation 83(1991)77
Peters, T.A.
Desalination and industrial waste water treatment with the ROCHEM Disc Tube Module (DT) 83(1991)159
Petkov, N., see Mavrov, V. 85(1992)335
Petrocchi, E., see Gaeta, S.N. 83(1991)383
Petrova, I., see Mavrov, V. 83(1991)289
Pettegrew, L., see Thompson, K. 88(1992)201
Pibouleau, L., see Floquet, P. 92(1993)1
Pillay, V.L., Brouckaert, C.J., Buckley, C.A. and Raal, J.D.
Predicted performance profiles along a long–tube cross–flow microfiltration system 71(1989)247
Pingel, H., see Boddeker, K.W. 90(1993)249
Pitakowski, D.W. see Yeh, G.C. 81(1991)129
Plate, N.A.
Research in membrane technology for desalination and water re–use in the USSR 81(1991)281
Pleass, C.M., see Hick., D.C. 73(1989)81
Pleass, C.M., see Hick., D.C. 73(1989)95
Podberesny, V.A., see Rifert, V.G. 81(1991)367
Podbereznji, V.L., see Barinov, V.V. 88(1992)179
Podbereznyi, V.L., see Ilyushchenko, V.V. 74(1989)383
Podbereznyi, V.L., see Ilyushchenko, V.V. 74(1989)391
Podbereznyi, V.L., see Linnikov, O.D. 74(1989)355
Podbereznyi, V.L., see Linnikov, O.D. 82(1991)359
Podbereznyi, V.L., see Linnikov, O.D.89(1993)311
Podbereznyi, V.L., see Rifert, V.G. 74(1989)363
Podbereznyi, V.L., see Rifert, V.G. 74(1989)373
Podbereznyi, V.L., see Vasjukov, V.I. 89(1992)21
Podbereznyi, V.L., Smirnov, Ju.K., and Putilin, Ju.V.
Some aspects of the development and operation of the desalination installations with horizontal–tube thin–film evaporators 73(1989)447
Podesta, S., see Husain, A. 92(1993)43
Pohland, H.W., Hamida, A.B. and Chida, K.
Reliable supply of drinking water through use of high performance B–10 TWIN permeators. A one year case history at Das Island, UAE 96(1994)303
Polyanskaya, N.B., see Dytnersky, Yu.I. 81(1991)273
Pontek, R., see Miller, G.A. 87(1992)249
Potts, J.E.
A proposal to organize membrane treatment capital costs 88(1992)321
Pourcelly, G., see Raucq, D. 91(1993)163
Pourcelly, G., Boudet–Dumy, M., Lindheimer, A. and Gavash, C.
Transport of proton in polymeric ionic exchange membranes in relation with the dissociated sorbed acid 80(1991)193
Prabhakar, S., see Tewari, P. 79(1990)85
Prabhakar, S., Patra, R.N., Misra, B.M. and Ramani, M.P.S.
Management and feasibility of reverse osmosis schemes for rural water supply in India 73(1989)37
Praptowidodo, V.S., see Radiman, C.L. 93(1993)273
Price, K., see Hightower, S. 99(1994)201
Price, M.K., see Bagwell Jr., T.H. 99(1994)195
Pritchard, C.L., see Crerar, A.J. 81(1991)391
Prodanova, St., see Pavlova, St. 91(1993)115
Puchen, Y., see Jihua, H. 83(1991)361
Pujadas, F. see Fukumoto, Y. 83(1991)65
Pung, L.S., see Hsiue, G.H. 71(1989)35

Pusch, W.
Comparison of transport of alkali–halides and nitrates across asymmetric cellulose acetate and polyamide, composite poly (etherurea), and cation exchange membranes 83(1991)261
Pusch, W.
Performance of RO membranes in correlation with membrane structure, transport mechanisms of matter and module design (fouling) 77(1990)35
Pusch, W., see Mavrov, V. 91(1993)225
Pusch, W., Yu, Y.–L. and Zheng, L.–Y.
Solute–solute and solute–membrane interactions in hyperfiltration of binary and ternary aqueous organic feed solutions 75(1989)3
Puskas, K. and Esen, I.
Possibilities of utilizing municipal and industrial wastewater effluents to condition soil 72(1989)125
Putilin, Ju.V., see Podbereznyi, V.L. 73(1989)447
Putilin, Ju.V., see Rifert, V.G. 74(1989)363
Pyne, R.D.G., see Buros, O.K. 98(1994)437

Q

Qamhiyeh, A., see El–Nashar, A. 79(1990)65
Qamhiyeh, A.A., see El–Nashar, A.M. 82(1991)165
Qamhiyeh, A.A., see El–Nashar, A.M. 93(1993)323
Qashu, H.K.
The desalination choice: Planned water and power security or decisions by calamity? 99(1994)211
Qing, C., see Ai–lian, L. 101(1995)51
Qingshuang, Z., see Jihua, H. 83(1991)361
Quick, R., see Harlow, H.W. 87(1992)193

R

Raal, J.D., see Pillay, V.L. 71(1989)247
Rachwal, A.J., Khow, J., Colbourne, J.S. and O'Donnell, J.
Water treatment for public supply in the 1990's – a role for membrane technology? 97(1994)427
Racz, I.G., see Futsellar, H. 90(1993)345
Radif, A., see Hassan, A. 84(1991)251
Radif, A., see Osman, H. 93(1993)181
Radiman, C.L., Sangkanparan, H., Praptowidodo, V.S. and Liang, O.B.
Preparation of asymmetric membranes for desalination, clarification of turbid water and biotechnological down–stream processing 93(1993)273
Raghupathi, C.N. and Swaminathan, T.
Desalination in India – experience and future prospects 98(1994)495
Raghuraman, L.
Membrane material for brackish water application for utilities – an evalution 91(1993)155
Rahbar, M.T.
Improve the design and operation of desalination plants by computer modelling and simulation 92(1993)253
Rahman, A., see McGlone, K.J. 96(1994)397
Ramachandhran, V., see Ramani, M.P.S. 90(1993)31
Ramani, M., see Tewari, P. 79(1990)85
Ramani, M.P.S., see Prabhakar, S. 73(1989)37
Ramani, M.P.S., see Sadhukhan, H.K. 96(1994)249
Ramani, M.P.S., see Tewaki, P.K. 73(1989)359
Ramani, M.P.S., see Tewari, P.K. 95(1994)299
Ramani, M.P.S. and Ramachandhran, V.
Synthesis and study of RO performance or aromatic polyamide hydrazide membranes 90(1993)31
Rangarajan, R., Desai, N.V., Mody, R.C., Mohan, D. and Rao, A.V.
Development of a fabric reinforced polysulfone membranes 85(1991)81
Rao, A.V., see Joshi, S.E. 78(1990)355
Rao, A.V., see Rangarajan, R. 85(1991)81
Rao, B.J.R., see Malik, A.L.A. 75(1989)341
Rao, G.B., see Rao, N.S. 78(1990)429
Rao, G.P., see Al–Gobaisi, D.M.K. 97(1994)469
Rao, G.P.
Unity of control and identification in multistage flash desalination processes 92(1993)103
Rao, G.P., Al–Gobaisi, D.M.K., Hassan, A., Kurdali, A., Borsani, R. and Aziz, M.
Towards improved automation for desalination processes. Part II: Intelligent control 97(1994)507

Rao, K.V.G., see Rao, N.S. 78(1990)429
Rao, N.S., Rao, T.N.V.V., Rao, G.B. and Rao, K.V.G.
Impact of reject water from the desalination plant on ground water quality 78(1990)429
Rao, T.N.V.V., see Rao, N.S. 78(1990)429
Rapp, H.J., see Strathmann, H. 90(1993)303
Ratigan, B.J. see Yeh, G.C. 81(1991)129
Raucq, D., Pourcelly, G. and Gavash, C.
Production of sulfuric acid and caustic soda from sodium sulphate by electromembrane processes. Comparison between electroelectrodialysis and electrodialyse on bipolar membrane 91(1993)163
Rautenbach, R. Progress in distillation 93(1993)1
Rautenbach, R., see Tusel, G.F., 96(1994)379
Rautenbach, R. and Gebel, J.
On the concentration of RO–brines by seeded horizontal tube falling film evaporation (HTFE) 76(1989)107
Rautenbach, R. and Groschl, A.
Fractionation of aqueous organic mixtures by reverse osmosis 90(1993)93
Rautenbach, R. and Groschl, A.
Separation potential of nanofiltration membranes 77(1990)73
Rautenbach, R. and Habbe, R.
Seeding technique for "zero–discharge" processes, adaption to electrodialysis 84(1991)153
Rautenbach, R. and Mellis, R.
Hybrid processes involving membranes for the treatment of highly organic/inorganic contaminated waste water 101(1995)105
Rautenbach, R. and Mellis, R.
Waste water treatment by a combination of bioreactor and nanofiltration 95(1994)171
Rautenbach, R. and Meyer–Blumenroth, U.
Module and process design for vapor permeation 77(1990)295
Rautenbach, R. and Welsch, K.
Treatment of landfill gas by gas permeation – pilot plant results and comparison to alternatives 90(1993)193
Rautenbach, R., Erdmann, C. and Kollbach, J.St.
The fluidized bed technique in the evaporation of wastewaters with severe fouling/scaling potential. Latest development, applications, limitations 81(1991)285
Rautenbach, R., Kopp, W. and Herion, C.
Electrodialysis–contact sludge reactor and reverse osmosis–phase separator, two examples of a simple process combination for increasing the water recovery rate of membrane processes 72(1989)339
Ray, M., see Harlow, H.W. 87(1992)193
Reahl, E.R.
Reclaiming reverse osmosis blowdown with electrodialysis reversal 78(1990)77
Rebagliati, S., Ghiazza, E. and Abueida, K.S.
One year operational experience on the process control system at UANE MSF Desalination Plant 75(1989)149
Reda, M.R. and Alhajii, J.N.
A comparative study of common metals scavenging efficiency for aqueous sulfide or sulfite pollutants in salt solution 94(1993)273
Redondo, J.A. and Frank, K.F.
Sea water applications with FilmTech reverse osmosis membranes from small to large plants in 10 years 82(1991)31
Reith, T., see Futsellar, H. 90(1993)345
Reitz, R.L., see Graham, S.I. 74(1989)113
Resini, I., see Zannoni, R. 82(1991)351
Rhodes, H.L., see Smith, B.E. 78(1990)99
Ribbins, P.D., see Parker, J.M. 97(1994)313
Ricard, A., see Baudin, I. 86(1991)237
Rider, W.J., see Hammond, R.P. 99(1994)459
Ridgway, H.F.
Bacteria and membranes: ending a bad relationship 83(1991)53
Riesmeier, B., Kroner, K.H. and Kula, M.R.
Harvest of microbial suspensions by microfiltration 77(1990)219
Rifert, V.G., Barabash, P.A., Goliyad, N.N. and Kurilova, E.B.
Stand–alone thermal desalination plants 96(1994)183
Rifert, V.G., Podbereznyi, V.L., Putilin, Ju.V., Nikitin, Ju.G. and Barabash, P.A.
Heat transfert in film–type evaporator with profiled tubes 74(1989)363

Rifert, V.G., Sardak, A.I., Grigorenko, S.V. and Podbereznyi, V.L.
Heat exchange at dropwise condensation in heat exchangers of desalination plants 74(1989)373
Rifert, V.G., Sardak, A.I., Trokoz, Ya.E. and Podberesny, V.A.
Heat exchange intensification at condensation inside tubes of film–type evaporators of desalination installations 81(1991)367
Rimawi, M.A., Ettouney, H.M. and Aly, G.S.
Transient model of multistage flash desalination 74(1989)327
Ritz, D.B. see Yeh, G.C. 81(1991)129
Robinson, R., Ho, G. and Mathew, K.
Development of a reliable low cost reverse osmosis desalination unit for remote communities 86(1992)9
Rodina, I.V., see Linnikov, O.D. 82(1991)359
Rohr, M. and Wimmerstedt, R.
A comparison of two commercial membranes used for biogas upgrading 77(1990)331
Romanenko, Yu. K., see Dytnersky, Yu.I. 81(1991)265
Romijn, D.J., see Brink, L.E.S. 78(1990)209
Rose, G.D., see Forgach, D.J. 80(1991)275
Rosen, A.M., see Iljushchenko, V.V. 81(1991)383
Ross, G.S., see Rudie, B.J. 90(1993)107
Rowley, L.H.
A screening study of biocides for potential use with cellulose acetate reverse osmosis membranes 88(1992)71
Rowley, L.H.
Eleven biocides are investigated for microbial efficacy and membrane compatibility to use at the Yuma Desalting Plant 97(1994)35
Rowley, L.H., see Murphy, A.P. 91(1993)199
Ruban I.G., see Leksovskaia, N.P. 86(1992)91
Rudie, B.J., Ross, G.S., Harrold, S.J. and Paulson, D.J.
Practical characterization of NF/UF membranes 90(1993)107

S

Saavedra, A., Bertoni, G., Fajner, D. and Sarti, G.C.
Reverse osmosis treatment of process water streams 82(1991)267
Saavedra, E.R.
Graphic evolution of the 24,000 hours (3 years) operating data of a RO brackish water desalination plant, in Las Palmas, Canary Islands, Spain 76(1989)15
Saber, T.M.H. and El Warraki, A.A.
Electrochemical and spectroscopic study on dezincification of a– brass Part II. Effect of polarization on the dezincification process 93(1993)473
Saber, T.M.H. and Salem, A.H.
Inhibition of the corrosion of steel pipes carrying potable water. II. Optimization of Ca_2^+ and HCO_3^- content in the presence of phosphate inhibitors 93(1993)461
Sadhukhan, H.K., Ramani, M.P.S., Misra, B.M., Verma, R.K.and Hanra, M.S.
Role of evaporative and membrane desalination technology in solving drinking water problem in India 96(1994)249
Sadler, L.Y. and George, O.
Concentration of saline produced water from coalbed methane gas wells in a multiple–effect evaporator using waste heat from the gas compressor and compressor drive engine 101(1995)169
Saeed, M.N.
Fuel economics: A comparative study of dual–purpose power and desalination plants in the WED grid based on a constant heat value of water 93(1993)409
Safi, M.J., see Chaibi, M.T. 82(1991)197
Said, M.S., see Al–Radif, A. 84(1991)45
Said, M.S., see Al–Sum, E.A. 97(1994)109
Said, M.S., see Hassan, A. 84(1991)251
Saitoh, T., Nagai, H., Imai, M., Nakajima, K. and Tujimura, M.
Simultaneous removal of DO and TOC in ultrapure water by using UV rays 98(1994)249
Sakazume, N., see Oikawa, E. 94(1993)25
Salem, A.H., see Saber, T.M.H. 93(1993)461
Salem, K., Sandeaux, J., Molena, J., Sandeaux, R. and Gavach, C.
Elimination of nitrate from drinking water by electrochemical membrane processes 101(1995)123

Salevan, J. F., see Hick., D.C. 73(1989)81
Sambrailo, D., see Kastelan–Kunst, L. 83(1991)331
Sambrailo, D. and Kunst, B.
Technoeconomic considerations in reverse osmosis concentration of seawater 81(1991)209
Sanchez, J.M. and Garcia, J.M.
Experiments on the design, installation and operation in the desalination plant by O.I.–INALSA I 82(1991)119
Sandeaux, J., see Salem, K. 101(1995)123
Sandeaux, R., see Salem, K. 101(1995)123
Sanderson, R.D., see Hurndall, M.J. 86(1992)135
Sanderson, R.D., see Hurndall, M.J. 89(1992)203
Sanderson, R.D., see Hurndall, M.J. 90(1993)41
Sanderson, R.D., see Immelman, E. 94(1993)115
Sanderson, R.D., see Immelman, E. 94(1993)37
Sanderson, R. D., see Van Reenen, A.J. 72(1989)319
Sanderson, R. D., see Van Reenen, A.J. 72(1989)329
Sanderson, R.D., see Van Reenen, A.J. 85(1992)247
Sanderson, R.D., see Van Reenen, A.J. 85(1992)263
Sanderson, R.D., Immelman, E., Bezuidenhout, D., Jacobs, E.P. and Van Reenen, A.J.
Polyvinyl alcohol and modified polyvinyl alcohol reverse osmosis membranes 90(1993)15
Sang Yong Lee. see Kwang Won Seul 85(1992)161
Sangkanparan, H., see Radiman, C.L. 93(1993)273
Sara, M., see Kupcu, S.S. 90(1993)65
Sardak, A.I., see Rifert, V.G. 74(1989)373
Sardak, A.I., see Rifert, V.G. 81(1991)367
Sarfraz Khan, M., see El–Nashar, A. 85(1991)93
Saricimen, H., Shamin, M., Allam, I.M. and Maslehuddin, M.
Performance of austenitic stainless steels in MSF desalination plant flash chambers in the Arabian Gulf 78(1990)327
Sarikaya, H.Z., see AbuRizaiza, O.S. 98(1994)173
Sarti, G.C., see Bandini, S. 81(1991)91
Sarti, G.C., see Saavedra, A. 82(1991)267
Sasaki, T., see Kurihana, M. 96(1994)133
Sato, H., see Kondo, M. 98(1994)147
Sato, M., see Yanagi, C. 98(1994)161
Satoh, H.
Hydrogen absorption and its prevention of titanium in a simulated descaling environment in a desalination plant 97(1994)45
Satre, M.D. and Ghatge, N.D.
Aromatic polyamide–hydrazides for water desalination. II. Reverse osmosis membrane performance of terpolymers 91(1993)121
Sattar, A., see Al–Gobaisi, D.M.K. 97(1994)469
Sattar, A., see El–Sum, E.A. 92(1993)309
Savovic, S., see Ninic, N. 89(1993)263
Savvides, L.
Agricultural achievements and irrigation management in Kuwait 72(1989)207
Sawada, S., see Ishiguro, K. 98(1994)119
Sawada, S., see Oinuma, N. 98(1994)59
Scenna, N.J., see Montagna, J.M. 81(1991)437
Scenna, N.J. and Aguirre, P.
Optimal thermodynamic synthesis of dual–purpose desalination plants. Extration vs. back pressure turbines 81(1991)419
Schaetzel, P., Favre, E., Nguyen, Q.T. and Neel, J.
Mass transfer analysis of pervaporation through an ion exchange membrane 90(1993)259
Scharfe, J., see Gregorzewski, A. 82(1991)145
Schelkes K., see Bender, H. 72(1989)161
Schirg, P. and Widmer, F.
Characterisation of nanofiltration membranes for the separation of aqueous dye–salt solutions 89(1992)89
Schleicher, R.W., see Labar, M.P. 88(1992)267
Schmidt, S.T., see Yeh, G.C. 81(1991)161
Schneider, W., see Kamal, I. 76(1989)323
Schofield, R.W., Fane, A.G., Fell, C.J.D. and Macoun, R.
Factors affecting flux in membrane distillation 77(1990)279
Schwab, C., Kulozik, U. and Kessler, H.G.
Effect of structure controlled deposited layers on the retention of flavour compounds in reverse osmosis 90(1993)173
Schwartzkopf, S., see Tleimat, B. 87(1992)97
Scott, R.F., see Hammond, R.P. 99(1994)459

Seach, L.A., VanWagoner, W.T. and Spacht, J.M.
Future reclaimed water use in the Northeast San Fernando Valley 88(1992)225
Sedahmed, G.H., see El–Shal, W. 99(1994)149
Seifer, A., see Genthner, K. 93(1993)207
Seifer, A. and Genthner, K. A.
Model for stagewise calculation of non–condensable gases in multi stage evaporators 81(1991)333
Seifert, A., see Genthner, K. 81(1991)349
Sekino, M. , see Fujiwara, N. 96(1994)441
Sekino, M., see Tanaka, S. 96(1994)191
Selvaraj, R., Deshpande, P.B., Tambe, S.S. and Kulkarni, B.D.
Neural networks for the identification of MSF desalination plants 101(1995)185
Sephton, H.H., see Hammond, R.P. 87(1992)69
Sephton, H.H., see Hammond, R.P. 99(1994)459
Seul, K. and Lee, S.
Numerical Predictions of evaporative behaviors of horizontal stream inside a multi–stage–flash distillator 79(1990)13
Severona, T.A., see Lebedeva, O.H. 73(1989)457
Shaban, H., see Al–Enezi, G.A. 95(1994)1
Shah, B.G., see Indusekhar, V.K. 84(1991)213
Shalewitz, B., see Bagwell Jr., T.H. 99(1994)409
Shamin, M., see Saricimen, H. 78(1990)327
Shams El Din, A.M.
Copper alloys for desalination plants 93(1993)499
Shams El Din, A.M.
Effect of residual and minor constituents on the corrosion behaviour of some technically important alloys 93(1993)487
Shams El Din, A.M. and Mohammed, R.A.
Brine and scale chemistry in MSF distillers 99(1994)73
Shams El Din, A.M. and Mohammed, R.A.
The problem of alkaline scale formation from a study on Arabian Gulf water 71(1989)313
Shams El Din, A.M., Arain, R.A. and Hammoud, A.A.
A contribution to the problem of trihalomethane formation from the Arabian Gulf water 85(1991)13
Shams El Din, A.M., Aziz, S. and Makkawi, B.
Electricity and water production in the Emirate of Abu Dhabi and its impact on the environment 97(1994)373
Shams El Din, A.S. and Tag El Din, A.M.K.
Electrochemical monitoring of the process of boiler cleaning 75(1989)171
Shang, L. and Spencer, H.G.
Selective separation of proteins by microfiltration with formed–in–place membranes 90(1993)137
Sharma, S.K., see Singh, D. 73(1989)191
Sheng, J.
Separation of dichlorethane–trichloroethylene mixtures by means of a membrane pervaporation process 80(1991)85
Sheng, J. and Lefebvre, M.S.
Diluted brine concentration process using membrane pervaporation technique: laboratory scale studies 91(1993)253
Sheng, J. and Mora, J.C.
Pervaporation and dehydration of water–ethanol mixtures by means of cuprophan hollow fiber membranes 80(1991)71
Sheng, J., Johnson, R.A. and Lefebvre, M.S.
Mass and heat transfert mechanisms in the osmotic distillation process 80(1991)113
Sheng Ling–Ying, see Hou Tai–Ping 83(1991)343
Sheppard, G.
Disaster (hurricane) preparedness. Public (water) utility 98(1994)479
Shi–Yao, B., see Al–Lian, L. 86(1992)291
Shichang, W., see Kejun, X. 97(1994)159
Shieh, M.C., see Hsiue, G.–H. 71(1989)35
Shields, C.P., see Eckman, T.J. 96(1994)11
Shimizu, I., see Fujioka, Y. 73(1989)371
Shimron, Z.
Economics of brackish and desalination water reuse for irrigation 98(1994)471
Shindo, N., Otani, Y., Inoue, G. and Kawazoe, K.
Water treatment by pitch–based activated carbon fiber 98(1994)155
Shingai, M., see Oikawa, E. 101(1995)69
Shinoda, M., see Yamauchi, A. 71(1989)277
Shinoda, M., see Yamauchi, A. 80(1991)61
Shipilov, V.Yu., see Vasjukov, V.I. 89(1992)21

Shirahama, E. and Kiyozuka, M.
Golf course construction plans and water quality preservation 98(1994)505
Shtim, A., see Slesarenko, V. 71(1989)203
Siddiki, N.A., see Malik, A.U. 97(1994)189
Siddiqui, M.A., see Tare, M.M. 81(1991)57
Sienkiewich, A.
Financing groundwater desalination in Southern California 87(1992)175
Sikora, J., Hansson, C.H. and Ericsson, B.
Pre–treatment and desalination of mines drainage water in a pilot plant 75(1989)363
Silbernagel, M., see Lozier, J. 75(1989)71
Silbernagel, M., Kuepper, T. and Oklejas, E.
Evaluation of a pressure boosting pump/turbine device for reverse osmosis energy recovery: Extended testing on a seawater desalination system 88(1992)311
Simandl, J., see Banat, F.A. 95(1994)39
Simoncelli, C., see Gusmano, G. 74(1989)259
Simons, R.
Development of an acid impermeable anion exchange membrane 78(1990)297
Simons, R.
Trace element removal from ash dam waters by nanofiltration and diffusion dialysis 89(1993)325
Sims, G.V. and Kamal, I.
Retrofitting and repowering of coastal power stations to augment water supplies in Southern California 94(1993)251
Singh, A., see Singh, K. 101(1995)115
Singh, A.K., see Tiwari, G.N. 82(1991)223
Singh, D. and Sharma, S.K.
Performance ratio, area economy and economic returns for an integrated solar energy/multi–stage flash desalination plan 73(1989)191
Singh, D.P., see Chakravorty, B. 78(1990)279
Singh, K. and Singh, A.
Electrodriven solute transport studies on an impregnated zirconium phosphate membrane 101(1995)115
Singh, R
Characteristics of a chlorine–resistant reverse osmosis membrane 95(1994)27
Sivakov, A.V., see Agashichev, S.P. 93(1993)245
Sivik, B., see Zhang, W. 72(1989)263
Sivik, B.,Wahlgren, M. and Miezis, Y.
A rheological screening method for membrane modifying polymers 77(1990)181
Sizmann, R., see Baumgartner, T. 81(1991)299
Skehan, S.T., see Muniz, A. 78(1990)41
Slater, C.S. and Hollein, H.C.
Educational initiatives in teaching membrane technology 90(1993)291
Slesarenko, V.
Characteristic features of the desalination plants with thin film heat exchangers 74(1989)305
Slesarenko, V.
Characteristics of thin film desalination plants 94(1993)321
Slesarenko, V.
Sea water desalination in thin plants 81(1991)407
Slesarenko, V.
Seawater desalination in thin film plants 96(1994)173
Slesarenko, V. and Shtim, A.
Determination of seawater enthalpy and entropy during the calculation of thermal desalination plants 71(1989)203
Sleytr, U.B., see Kupcu, S.S. 90(1993)65
Smirnov, Ju.K., see Podbereznyi, V.L. 73(1989)447
Smith, B.E.
Desalting and groundwater management in the San Joaquin Valley, California 87(1992)15
Smith, B.E.
The use of solar ponds in the disposal of desalting concentrate 78(1990)59
Smith, B.E., Paul, D., Colon, W.J., Rhodes, H.L., Watson, B.M., Harlow, W., Leahy III, T.M.
Where do we go from here? A roundtable discussion 78(1990)99
Smith, G., see Lozier, J.C. 88(1992)3
Smith, I., see Ahlgren, R.M. 73(1989)247
Smith, N.C.
Developing and financing new water facilities: alternatives for desalination and reclamation plants 87(1992)85
Smith, S., see Finan, M.A. 73(1989)341
Smolders, C.A., see Neplenbroek, A.M. 79(1990)303
Smolders, C.A., see Van den Berg, G.B. 77(1990)101

Smolders, K. and Franken, A.C.M.
Terminology for membrane distillation 72(1989)249
Soda, M., see Fujioka, Y. 73(1989)371
Soliman, M.A., see Al–Mutaz, I.S. 74(1989)317
Soliman, M.A., see Al–Mutaz, I.S. 76(1989)177
Soliman, M.A., see Al–Mutaz, I.S. 83(1991)373
Soliman, M.A., see Al–Mutaz, I.S. 84(1991)103
Soliman, M.A., see Al–Mutaz, I.S. 84(1991)104
Soliman, M.A., see Al–Zahrani, A.E.S. 75(1989)15
Solomon, B.A., see Nguyen, T.D. 90(1993)3
Solomon, R.L., see Masarczyk, J. 75(1989)259
Solt, G.S., see Feron, P. 84(1991)137
Solt, G.S., see Wen, T. 101(1995)79
Sommariva, C., see Husain, A. 92(1993)21
Sommariva, C., Borsani, R. and Tasca, A.
Distillation purity from MSF: the theoretical design and a real case behavior 81(1991)309
Sommariva, C., Borsani, R., Peluffo, P., Mollica, A. and Wrubl, C.
Titanium exchange tubes for MSF desalination plant. A study on the aspects relevant to the adoption of this material 97(1994)53
Song–Chun, F., see Al–Lian, L. 86(1992)291
Soo–Hoo, R., see Awerbuch, L. 76(1989)189
Sorensen, T.S., Jensen, J.B. and Malmgren–Hansen, B.
Electromotive force and impedance studies of cellulose acetate membranes: evidence for two binding sites for divalent cations and for an alveolar structure of the skin layer 80(1991)293
Sorour, M.H., Abulnour, A.G. and Talaat, H.A.
Desalination of agricultural drainage water 86(1992)63
Souma, S., see Al–Zahrani, H. 84(1991)349
Sourirajan, S., see Liu, T. 85(1991)1
Sourirajan, S., see Wang, Y. 95(1994)155
Spacht, J.M.., see Seach, L.A. 88(1992)225
Spencer, H., see Yarlagadda, S. 79(1990)37
Spencer, H.G., see Menon, K.S. 80(1991)31
Spencer, H.G., see Shang, L. 90(1993)137
Spencer, H.G., see Szaniawska, D. 101(1995)31
Spencer, H.G., see Szaniawska, D. 95(1994)121
Spencer, J., see Dickson, J.M. 89(1992)63
Spencer, J., see Dickson, J.M. 99(1994)1
Spurr, D.J.
Reverse Osmosis in United Kingdom municipal: Applications 82(1991)385
Sridhar, S.
Desalination and recovery of catalysts by electrodialysis 79(1990)233
St. Pavlova, see Dobrevsky, Iv. 86(1992)43
Standiford, F.C., see Hammond, R.P. 99(1994)459
Staples, D., see Hick., D.C. 73(1989)95
Staples, M.A.
How to promote water reclamation and reuse through the California water rights system 88(1992)189
Statton, J.A., see Nerell, D.C. 88 (1992) 123
Staude, E., see Duputell, D. 95(1994)75
Staude, E., see Yaroshchuk, A. 86(19921)115
Stenstrom, M.K., see Cheng, R. 85(1991)33
Strathmann, H., see Bauer, B. 79(1990)125
Strathmann, H., see Gudernatsch, W. 79(1990)249
Strathmann, H., see Kimmerle, K. 79(1990)283
Strathmann, H., Bell, C.M. and Kerres, J.
Gas separation and pervaporation: Membrane and module development 77(1990)259
Strathmann, H., Rapp, H.J., Bauer, B. and Bell, C.–M.
Theoretical and practical aspects of preparing bipolar membranes 90(1993)303
Striez, C., see Tweddle, T.A. 86(1992)27
Striez, C.N., see Dal–Cin, M.M. 101(1995)155
Stroh, N., see McDonogh, R.M. 79(1990)217
Stuart, J., Bryant, T., Fergus, I. and Gabrielli, E.
Review of initial three years operation of waste water management scheme at 4640MW Bayswater/Liddel Power Station Complex, Australia 75(1989)379
Styczynski, T.E., see Tleimat, B. 87(1992)97
Subba Rao, G.V.
Reverse osmosis membrane research facility at Bharat Heavy Electricals and its application for desalination in India 83(1991)385
Sudjito, see Hogan, P.A. 81(1991)81
Suemoto, S.H., see 96(1994)39
Suemoto, S.H., Haugseth, L.A. and Moody, C.D.
Research experiences from operational difficulties–Yuma Desalting Plant, U.S.A. 96(1994)43
Suizo, S., see Iso, S. 97(1994)389

Sulpizio, T.E., Light, W.G. and Perlman, J.L.
Economic and technical factors affecting seawater reverse osmosis process design 74(1989)187
Sultan, A.H., see Osman, H. 93(1993)181
Sultan, H., see Al–Radif, A. 97(1994)3
Sultan, H., see Husain, A. 97(1994)555
Sumberova, V., see Bleha, M. 86(19921)173
Sun, Y.F., see Wen, T. 101(1995)79
Surel, O. and Famelart, M.H.
Microfiltration of long chain carboxylates: relationship between rejection and micellization 95(1994)11
Suri, R.K., Al–Marafie, A.M.R., Al–Homoud, A.A. and Maheshwari, G.P.
Cost–effectiveness of solar water production 71(1989)165
Suwandi, M.S.
Determination of optimized membrane area from long–term flux decline data 90(1993)379
Suzuki, A., see Itoh, S. 98(1994)127
Suzuki, K., see Kashida, K. 97(1994)147
Swaminathan, T., see Gurumoorthy, K. 98(1994)303
Swaminathan, T., see Raghupathi, C.N. 98(1994)495
Swanback, S., see Townley, J.A. 88(1992)341
Swanback, S., see Townley, J.A. 88(1992)341
Szaniawska, D. and Spencer, H.G.
Non–equilibrium thermodynamic analysis of the transport properties of formed–in–place zirconium(IV)hydrous oxide–polyacrylate membranes in lactose–water solutions 95(1994)121
Szaniawska, D. and Spencer, H.G.
Non–equilibrium thermodynamic analysis of the transport properties of formed–in–place Zr(IV) hydrous oxide–PAA membranes. II. Nacl–water solutions 101(1995)31

T

Tadros, S.
Desalination plant integration with cogeneration systems for EOR/commercial/industrial applications 87(1992)137
Tag El Din, A.M.K., see Shams El Din, A.S. 75(1989)171
Takahara, Y., see Yanagi, C. 98(1994)161
Takahashi, H., see Futakawa, M. 98(1994)345
Takeuchi, K., see Futamura, O. 98(1994)17
Talaat, H.A., see Sorour, M.H. 86(1992)63
Talankin, V.S., see Linnikov, O.D. 74(1989)355
Talati, S.N.
Evaluation of reverse osmosis and evaporative desalination systems under feedwater supply constraints typical in arid countries 97(1994)353
Tallman, C.P. Sr.
Method for extending heat exchanger and condenser life 73(1989)231
Tam, C.M., see Tweddle, T.A. 86(1992)27
Tam, C.M. and Tremblay, A.Y.
Membranes as fractals, implications and concequences 90(1993)77
Tam, C.M., Tweddle, T.A., Kutowy, I. and Hazlett, J.D.
Polysulfone membranes. II. Performance comparison of polysulfone–poly(N–vinyl–pyrrolidone) membranes 89(1993)275
Tambe, S.S., see Selvaraj, R. 101(1995)185
Tamminen, E., see El–Maghary, Y. 92(1993)149
Tamura, M.
New water distillation system incorporating a membrane mist seperator 80(1991)105
Tanaka, S., Numata,K., Kusumoto, H. and Sekino, M.
New desinfection method on RO seawater desalination systems 96(1994)191
Tanaka, Y., see Kiriyama, K. 98(1994)199
Taniyama, T., see Ayyash, Y. 96(1994)215
Tao, C–H., see Ali, G. 76(1989)27
Tare, M.M., Gada, M.K., Siddiqui, M.A. and Mehta, M.H.
Economics of desalination in water resourse management– A comparison of alternative water resources for arid/semi arid zones in developing countries 81(1991)57
Tarleton, E.S., see Wakeman R.J. 83(1991)35
Tasaka, K., Katsura, T., Iwahori, H. and Kamiyama, Y.
Analysis of RO elements operated at more than 80 plants in Japan 96(1994)259

Tasca, A., see Sommariva, C. 81(1991)309
Tay, J.H., see Low, S.C. 81(1991)321
Ten Eyck, J.R., see Whitney, D.C. 87(1992)281
Terranova, V., see Zannoni, R. 82(1991)337
Tewaki, P.K., Hanra, M.S., Verma, R.K. and Ramani, M.P.S.
Studies on MSF desalination –process design, construction and startup of a prototype MSF plant in India 73(1989)359
Tewari, P.K., Verma, R.K. and Ramani, M.P.S.
Pressurized heavy water reactor desalination in the Indian context 95(1994)299
Tewari, P., Prabhakar, S. and Ramani, M.
Evaluation of thermal desalination and reverse osmosis for the production of boiler feed water from sea water for coastal thermal power stations in India 79(1990)85
Thampy, S.K., see Adhikari, S.K. 84(1991)189
Thampy, S.K., see Narayanan, P.K. 84(1991)201
Thankachan, T.S., see Mayan Kutty, P.C. 97(1994)401
Thankachan, T.S., see Mayankutty, P.C. 74(1989)243
Thomas, J.C.
Advanced water treatment (AWT) facility at Madras Refineries Ltd., Madras–sewage water reused 98(1994)295
Thomas, K.S., see Bruno–Vega, A. 98(1994)443
Thomassen, J.R., see Madsen, R.F. 83(1991)123
Thompson, K., Cooper, R.C., Olivieri, A.W., Eisenberg, D., Pettegrew, L. and Danielson, R.E.
City of San Diego potable reuse of reclaimed water: final results 88(1992)201
Thompson, M.A.
Virginia's first municipal reverse osmosis facility 87(1992)181
Ting–Chia Huang and Jau–Kai Wang
Preferential transport of nickel and cupric ions through cation exchange membrane in electrodialysis with a complex agent 86(1992)257
Tipnis, U.K., see Adhikary, S.K. 71(1989)301
Tishchenko, G., see Bleha, M. 86(1992)173
Tiwari, G.N.
Feasibility study of solar distillation plants in South Pacific countries 82(1991)233
Tiwari, G.N. and Lawrence, S.A.
Thermal evaluation of high temperature distillation under an active mode of operation 85(1991)135
Tiwari, G.N. and Singh, A.K.
Thermal efficiency of double slope FRP solar distiller: An analytical and experimental study 82(1991)223
Tleimat, B. and Tleimat, M.
A novel 2500 GPD 5–effects wiped–film rotating–disk vapor–compression module: preliminary results 74(1989)289
Tleimat, B. and Tleimat, M.
Development in saline water distillation technology 93(1993)15
Tleimat, B., Tleimat, M., Friedman, M.A., Styczynski, T.E. and Schwartzkopf, S.
The use of vapor compression distillation for recycling gray water as an early application in the antartic planetary analog 87(1992)97
Tleimat, M., see Tleimat, B. 74(1989)289
Tleimat, M., see Tleimat, B. 87(1992)97
Tleimat, M., see Tleimat, B. 93(1993)15
Tomaschke, I., see Ikeda, K. 96(1994)113
Townley, J.A., Swanback, S. and Andres, D.
Recharging a potable water supply aquifer with reclaimed wastewater in Cambria, California 88(1992)341
Toyama, S., see Hassan, M.S. 71(1989)347
Toyama, S., Murase ,K., Kimura, S. and Nakamura, M.
Surface evaporation of liquid flowing down an inclined groove 82(1991)221
Toyoma, S., see Murase, K. 73(1989)111
Trägårdh, G., see Dutre, B. 95(1994)227
Trägårdh, G.
Membrane cleaning 71(1989)325
Trägårdh, G., see Jönsson, A.S. 77(1990)135
Trägårdh, G., see Marshall, A.D. 91(1993)65
Travesta, E., see Gusmano, G. 74(1989)259
Tremblay, A.Y., see Tam, C.M. 90(1993)77
Trivedi, G.S., see Indusekhar, V.K. 84(1991)213
Trokoz, Ya.E., see Rifert, V.G. 81(1991)367
Tsugaya, H., see Tsuyumoto, M. 80(1991)139

Tsuru, T.T., Urairi, M.,Nakao, S.–I. and Kimura, S.
Negative rejection of anions in the loose reverse osmosis separation of mono– and divalent ions mixtures 81(1991)219
Tsuyumoto, M., Karakane, H., Maeda, Y. and Tsugaya, H.
Development of polyion complex hollow fiber membrane for separation of water—ethanol mixtures 80(1991)139
Tujimura, M., see Saitoh, T. 98(1994)249
Turek, M., Mrowiec–Bialon, J. and Gnot, W.
Utilization of coal mine brines in the chlorine production process 101(1995)57
Turner. A.G., see Darton. E.G. 82(1991)51
Turner, A.G., Neelakantan, P.S. and Gajendra, N.
A novel new water source for Madras Fertilisers 98(1994)285
Tusel, G.F., see Aboughalya, E–D 81(1991)505
Tusel, G.F., see Kamal, I. 76(1989)323
Tusel, G.F., Rautenbach, R. and Widua, J.
Seawater desalination plant "Sirte" – an example for an advanced MSF design 96(1994)379
Tweddle, T.A., see Dal–Cin, M.M. 101(1995)155
Tweddle, T.A., see Tam, C.M. 89(1993)275
Tweddle, T.A., Striez, C., Tam, C.M. and Hazlett, J.D.
Polysulfone membranes. I. Performance comparison of commercially available ultrafiltration membranes 86(1992)27

U

Udagawa, T.
Water recycling systems in Tokyo 98(1994)309
Uemura, T., see Ikeda, T. 98(1994)391
Uemura, T., see Kurihana, M. 96(1994)133
Umemori, F., see Nada, N. 96(1994)283
Uragami, T.
Separation of aqueous organic liquid solutions through polymer membranes 90(1993)325
Urairi, M., see Tsuru, T.T. 81(1991)219

V

Van der Mast, V. see Awerbuch, L. 76(1989)189
Vaid, A., Kopp, C., Johnson, W. and Fane, A.G.
Integrated waste water treatment by coupled bioreactor and membrane system 83(1991)137
Vaidya, A.N., see Bal, A.S. 83(1991)325
Valota M.N., see Gusmano, G. 74(1989)259
Van Boxtel, A.J.B. and Otten, Z.E.H.
New strategies for economic optimal membrane fouling control based on dynamic optimization 90(1993)363
Van den Berg, G.B. and Smolders, C.A. Flux decline in ultrafiltration processes 77(1990)101
Van Den Berkomortel, H.A. and Graveland, A.
Potable water quality improvement for the city of Amsterdam 98(1994)83
Van den Ende, S., see Dotremont, C. 95(1994)91
Van Der Horst (Ede), H.C. and Hanemaaijer, J.H. (Zeist)
Cross–flow microfiltration in the food industry. State of the art 77(1990)235
Van Der Mast, V., see Muhurji, M. 76(1989)75
Van Dijk, J.C., Munneke, B.R., Kramer, B. and Wouters, J.W.
Membrane filtration: a realistic option in the field of water supply? 81(1991)229
Van Reenen, A.J., see Hurndall, M.J. 89(1992)203
Van Reenen, A.J., see Hurndall, M.J. 90(1993)41
van Reenen, A.J., see Immelman, E. 94(1993)115
van Reenen, A.J., see Immelman, E. 94(1993)37
Van Reenen, A.J., see Sanderson, R.D. 90(1993)15
Van Reenen, A.J. and Sanderson, R. D.
Dynamically formed hydrous zirconium (IV) oxide– polyelectrolyte membranes. V. Non–homogeneous poly (acrylic acid–covinyl alcohol) membranes: rejection and flux properties and the treatment of coal gasification waste water 72(1989)319
Van Reenen, A.J. and Sanderson, R.D.
Dynamically formed hydrous zirconium (IV) oxide– polyelectrolyte membranes. VI. Effect of copolymer composition on the stability of poly(acrylic acid–covinyl acetate) and poly

(acrylic acid–covinyl alcohol) membranes 72(1989)329
Van Reenen, A.J. and Sanderson, R.D.
Dynamically formed hydrous zirconium (IV) Oxide–polyelectrolyte membranes. VII. Poly(acrylic acid–co–vinyl acetate) and poly(acrylic acid–co–vinyl alcohol) membranes: The effect of feed salt concentration on membrane properties 85(1992)247
Van Reenen, A.J., Jacob, E.P. and Sanderson, R.D.
Dynamically formed hydrous zirconium (IV) Oxide–polyelectrolyte membranes. VIII. Alternative substrate materials for dynamic membranes 85(1992)263
Vandecasteele, C., see Dotremont, C. 91(1993)177
Vandecasteele, C., see Dotremont, C. 95(1994)91
Vandommele, H., see Dotremont, C. 95(1994)91
VanWagoner, W.T., see Seach, L.A. 88(1992)225
Vasina, L.G., see Martynova, O.I. 71(1989)337
Vasina, L.G., see Martynova, O.I. 83(1991)55
Vasjukov, V.I., Klyikov, D.M., Podbereznyi, V.L. and Shipilov, V.Yu.
Floating nuclear desalination plant AFWS–40 89(1992)21
Velicogna, D., see Volchek, K. 89(1993)247
Velikova, S. see Mavrov, V. 83(1991)279
Velikova, S., Dave, A.M., Mavrov, V. and Mehta, M.H.
Comparative evaluation of industrial membranes: correlation between transport and operational para–meters 94(1993)1
Velikova, S., Mavrov, V. and Marinov, M.
Characterization of the reverse osmosis membranes CA80 and CA 95 by transport coefficients 91(1993)293
Verma, R.K., see Sadhukhan, H.K. 96(1994)249
Verma, R.K., see Tewaki, P.K. 73(1989)359
Verma, R.K., see Tewari, P.K. 95(1994)299
Veza, J.M.
Mechanical vapour compression desalination plants– A case study 101(1995)1
Veza, J.M., Gomez Gotor, A. and Peres Castillo, J.
Desalination Technology in the Canary Islands 85(1992)147
Vial, D., see Madsen, R.F. 83(1991)123
Vickers, G.W., see Wild, P.M. 89(1992)33
Vigneswaran, S., see Visvanathan, C. 71(1989)265
Visvanathan, C., Ben Aim, R. and Vigneswaran, S.
Application of cross–flow electro–microfiltration in chromium wastewater 71(1989)265
Volchek, K.A., see Dytnersky, Yu.I. 81(1991)273
Volchek, K., Keller,L., Velicogna,D. and Whittaker, H.
Selective removal of metal ions from ground water by polymeric binding and microfiltration 89(1993)247
Volfi, D., see Korngold, E. 84(1991)123

W

Wade, N.M.
Likelihood of significant cost reductions in desalination 78(1990)147
Wade, N.M.
Technical and economic evaluation of distillation and reverse osmosis desalination processes 93(1993)343
Wade, N.M.
The effect of the recent energy cost increase on the relative water costs from reverse osmosis and distillation plant 81(1991)3
Wade, P., see Wong, P. 98(1994)225
Waes, G., see Doyen, W. 79(1990)163
Wahhab, M.A., see Hassan, M.S. 71(1989)347
Wahlgren, M., see Sivik, B. 77(1990)181
Wahlgren, M., see Zhang, W. 72(1989)263
Wakeman R.J. and Tarleton, E.S.
Colloidal fouling of microfiltration membranes during the treatment of aqueous feed streams 83(1991)35
Walker, C.W., see Missimer, T.M. 87(1992)269
Walters, A., see Labar, M.P. 88(1992)267
Walton, N.G.R.
Reverse osmosis pretreatment – injecting a little chemical control and management 82(1991)281
Walton, N.R.G.
Electrical conductivity and total dissolved solids – what is their precise relationship? 72(1989)275

Wang,D., Dong,D., Zheng,W., Zhang,D. and Wang,L.
The 200 MW nuclear heating reactor and its possible application in seawater desalination 99(1994)367
Wang, L., see Wang, D. 99(1994)367
Wang, Liancheng, see Chen, Jiayan. 86(1992)301
Wang, S.
Studies on economic property of pretreatment process of brackish water using electrocoagulation (EC) method 82(1991)365
Wang, Y., Lau, W.W.Y. and Sourirajan, S.
Effects of pretreatments on morphology and performance of cellulose acetate (formamide type) membranes 95(1994)155
Wangnick, K.
1990 Worldwide desalting plants inventory – the development of the desalination market 81(1991)19
Wangnick, K., see Aboughalya, E.D. 81(1991)505
Wangnick, K., see Fosselard, G. 76(1989)215
Watson, B.
Considerations in assessing for rehabilitation of damaged 20 mgd Shuwaikh 'D' plants Kuwait 88(1992)145
Watson, B.M.
High recovery reverse osmosis 78(1990)91
Watson, B.M., see Colon, W.J. 78(1990)157
Watson, B.M., see Hornburg, C.D. 92(1993)333
Watson, B.M., see Smith, B.E. 78(1990)99
Watson, B.M. and Hornburg, C.D.
Low–energy membrane nanofiltration for removal of color, organics and hardness from drinking water supplies 72(1989)11
Watson, B., Marks, G., Gabbrielli, E. and Chapple, L.
Design and operation of a 5 ml/RO desalination plant in arid Australia 96(1994)369
Watson, I., see Lange, P.H. 76(1989)39
Watson, I.C.
Characterization of desalting concentrates 78(1990)5
Watson, I.C., see Lewis, J.W. 87(1992)229
Watson, I.C., see Mills Jr., W.R. 98(1994)265
Waypa, J.J., see Elimelech, M. 95(1994)269
Weekes, M.C., see Awerbuch, L. 78(1990)71
Wehner, M.
A research and demonstration project permit under the new California groundwater recharge regulations 87(1992)37
Wei, X., see Changluo, Z. 71(1989)1
Weida, J.
A new type of electrodialyser 96(1994)127
Welsch, K., see Rautenbach, R. 90(1993)193
Wen, T., Solt, G.S. and Sun, Y.F.
Spirally wound electrodialysis (SpED) modules 101(1995)79
Wenchang, J., see Changluo, Z. 71(1989)1
Wentong, W., see Jihua, H. 83(1991)361
Werner, U., see Zhang, H. 79(1990)271
Wheelwright, S., see Mavrov, V. 91(1993)225
Whitacker, G., see Dickson, J.M. 99(1994)1
White, D.A., Labayru, R., Obermoller, H.R. and Deryde, X.
The application of inorganic membranes to electrodialysis processes 84(1991)177
Whitney, D.C. and Ten Eyck, J.R.
Progressive coastal community implements both desalination and reuse in a comprehensive water resource program 87(1992)281
Whittaker, H., see Volchek, K. 89(1993)247
Widmer, F., see Schirg, P., 89(1992)89
Widua, J. , see Tusel, G.F., 96(1994)379
Wie, J.M., see Khawaji, A.D. 98(1994)135
Wilcock, J.D. and Finan, M.A.
Ensuring the safety of additives used in desalination plants to produce potable water: the role of independent approval agencies and comprehensive toxicological and ecotoxical product profiles 97(1994)443
Wild, P.M. and Vickers, G.W.
The technical and economic benefits of centrifugal reverse osmosis desalination 89(1992)33
Wilf, M., see Kremen, S. 82(1991)15
Wilf, M. and Klinko, K.
Performance of commercial seawater membranes 96(1994)465
Wimmerstedt, R., see Linde, K. 101(1995)21
Wimmerstedt, R., see Rohr, M. 77(1990)331
Winnicki, T., see Majewska–Nowak, K. 71(1989)127

Winnicki, T., see Majewska–Nowak, K. 78(1990)417
Winnicki, T., see Majewska–Nowak, K. 89(1992)47
Winnicki, T., see Wisniewska, G. 91(1993)307
Winniki, T., see Grabska–Winnicka, D. 83(1991)243
Winniki, T., see Wisniewska, G. 84(1991)163
Winters H., see Applegate, L.E. 74(1989)51
Winters, H.
Three–year experience of a sea water RO plant operating at a conversion greater than 50% in the Cayman Islands 74(1989)183
Wisniewska, G. and Winniki, T.
Electrodialytic desalination of effluents from zinc–coating processes: Removal of Zn2+ and Cl– ions from model solutions 84(1991)163
Wisniewska, G., Wisniewski, J. and Winnicki, T.
Recovery of acid and water by membrane dialysis 91(1993)307
Wisniewski, J., see Majewska–Nowak, K. 71(1989)127
Wisniewski, J., see Majewska–Nowak, K. 78(1990)417
Wisniewski, J., see Majewska–Nowak, K. 89(1992)47
Wisniewski, J., see Wisniewska, G. 91(1993)307
Woldai, A., see Al–Gobaisi, D.M.K. 97(1994)469
Woldai, A., see Husain, A. 92(1993)21
Woldai, A., see Husain, A. 97(1994)555
Woldai, A., see Kurdali, A. 92(1993)295
Wolfe, T.D., see Hamano, T. 96(1994)23
Wong, P., Docker, P., Gabbrielli, E. and Wade, P.
Management and construction of a major zero discharge water supply and treatment scheme at Mount Piper Power Station– Australia 98(1994)225
Wouters, J.W., see Nooijen, W.F.J.M. 89(1992)1
Wouters, J.W., see Van Dijk, J.C. 81(1991)229
Wrubl, C., see Sommariva, C. 97(1994)53
Wu, Y., Kong, Y., Liu, J., Zhang, J. and Xu, J.
An experimental study on membrane distillation–crystallization for treating waste water in taurine production 80(1991)235
Wyszynski, D., see Duputell, D. 95(1994)75

X

Xiu, W., see Ji, J. 85(1991)297
Xu, J., see Wu, Y. 80(1991)235
Xu, S., see Liu, T. 85(1991)1
Xueren, L., see Congjie, G. 83(1991)271
Xueren, L. and Congjie, G.
Research on polyethersulfone, poly arylsulfone and polyetheretherketone with cardo membranes 96(1994)155

Y

Yabe, K., see Oinuma, N. 98(1994)59
Yacoub, S., see Buros, O.K. 73(1989)47
Yadav, Y.P.
Performance analysis of a solar still coupled to a heat exchanger 82(1991)244
Yadav, Y.P.
Performance analysis of a still coupled to a heat exchanger 91(1993)135
Yadav, Y.P.
Transient analysis of double–basin solar still integrated with collector 71(1989)151
Yadav, Y.P.
Transient performance of a high temperature solar distillation system 82(1991)243
Yadav, Y.P. Transient performance of a high temperature solar still distillation 91(1993)145
Yamada, T., see Ayyash, Y. 96(1994)215
Yamamoto, M., see Kashida, K. 97(1994)147
Yamamoto, M., see Kohsaka, K. 73(1989)429
Yamasaki, K., see Harada, Y. 98(1994)27
Yamauchi, A., Hirata, Y. and Shinoda, M.
Relation between transport number and concentration of Donnan salt in membranes 80(1991)61
Yamauchi, A., Shinoda, M. and Hirata, Y.
Membrane phenomena of an amphoteric membrane in mixed electrolyte solution 71(1989)277
Yanaga, Y., see Ayyash, Y. 96(1994)215
Yanaga, Y., see Fujiwara, N. 96(1994)441

Yanagi, C., Sato, M. and Takahara, Y.
Treatment of wheat strach waste water by a membrane combined two phase methane fermentation system 98(1994)161
Yanagishita, H., Nozoye, H. and Nakane, T.
Preparation of 6FDA–based polyimide composite membranes by CVDP process 90(1993)55
Yaozhong, Y., see Kejun, X. 97(1994)159
Yarlagadda, S. and Spencer, H.
Hyperfiltration properties of Zirconium (IV) hydrous oxide–polyacrylate membrane in electrolyte–alcohol–water solutions 79(1990)37
Yaroshchuk, A. and Staude, E.
Charged membranes for low pressure reverse osmosis properties and applications 86(1992)115
Yeh, B.V., see Yeh, G.C. 81(1991)129
Yeh, B.V., see Yeh, G.C. 81(1991)161
Yeh, G.C., Yeh, B.V., Ratigan, B.J., Correnti, S.J., Yeh, M.S., Pitakowski, D.W., Fleming, W., Ritz, D.B. and Lariviere, J.A.
Separation of liquid mixtures by capillary distillation 81(1991)129
Yeh, G.C., Yeh, B.V., Schmidt, S.T., Yeh, M.S., McCarthy, A.M. and Celenza, W.J.
Vapor–liquid equilibrium in cappilary distillation 81(1991)161
Yeh, M.S. see Yeh, G.C. 81(1991)129
Yeh, M.S., see Yeh, G.C. 81(1991)161
Yi–Ming, C., see Yu–Rong, L. 96(1994)145
Yiming, C., see Yurong, L. 83(1991)375
Yokomiso, T.
Ultrafiltration membrane technology for regeneration of building wastewater for reuse 98(1994)319
Yokoyama, S., see Itoh, S. 98(1994)127
Yong–Zhuang, Z., see Al–Lian, L. 86(1992)291
Yoshioka, T., see Masahiro, H. 91(1993)319
Younan, N.G., see Malik, A.L.A. 75(1989)341
Younis, M.A., Darwish, M.A. and Juwayel, F.
Experimental and theoretical study of a humidification–dehumidification desalting system 94(1993)11
Yu, B. and Li, Q.
Removal of chlorine from dilute salt aqueous solution with a flat microporous membrane 90(1993)335
Yu, Y.–L., see Pusch, W. 75(1989)3
Yu–Rong, L., Yi–Ming, C., Li–Ning, W. and Dong–Sheng, C.
A study of the modified reinforced polysulfone membrane and its pilot scale–up 96(1994)145
Yurong, L., Yiming, C., Lining, W. and Jianhua, J.
Study of stevioside preparation by membrane separation process 83(1991)375
Yushina, Y. and Hasegawa, J.
Process performance comparison of membrane introduced anaerobic digestion using food industry waste water 98(1994)413

Z

Zagouras, N.G., see Caouris, Y.G. 71(1989)177
Zagouras, N.G. and Kantsos, E.T.
Engineering relations for economic production functions of solar low–temperature multi–effect desalination 78(1990)381
Zaki, G M., see Madani, A A. 73(1989)167
Zama, M., see Fujioka, Y. 73(1989)371
Zannoni, R., Bonacini, A., Micale, G., Boari, G., Terranova, V. and Guidice
Sea water desulphation pretreatment for a 14400cu.m/day MSF desalination unit at Gela petrochemical plant 82(1991)337
Zannoni, R., Bonacini, A., Musatti, M. and Resini, I.
Limestone hardening system for Brindisi's power station: First limestone recarbonation unit installed in Italy for industrial water production 82(1991)351
Zarza, E., see Gregorzewski, A. 82(1991)145
Zhang, D., see Liu, T. 85(1991)1
Zhang, D., see Wang, D. 99(1994)367
Zhang, H., see Gaeta, S.N. 80(1991)181
Zhang, H. and Werner, U.
Characterization of surface change properties of synthetic microfiltration membranes by means of a streaming current method 79(1990)271
Zhang, J., see Wu, Y. 80(1991)235
Zhang, S.Q., see Fouda, A.E. 90(1993)209

Zhang, S.Q., Fouda, A.E., Matsuura, T. and Chan, K.
Some experimental results and design calculations for reverse osmosis concentration of green tea juice 80(1991)211
Zhang, W. and Hallstrom, B.
Membrane characterization using the contact angle technique. I. Methodology of the captive bubble technique 79(1990)1
Zhang, W., Wahlgren, M. and Sivik, B.
Membrane characterization by the contact angle technique. II. characterization of UF membranes and comparison between the captive bubble and sessile drop as methods to obtain water contact angles 72(1989) 263
Zhao, Q., see Hao, J. 98(1994)353
Zheng, L.–Y., see Pusch, W. 75(1989)3
Zheng, W., see Wang, D. 99(1994)367
Zhengyu, Zhu., see Chen, Jiayan. 86(1992)301
Zhiguo, B., see Congjie, G. 83(1991)271
Zhou, J., Ohya, H. and Matsumoto, K.
Several engineering equations in the design of reverse osmosis plants 80(1991)15
Zhu, B. and Cheng, P.
The industrial application of UF membranes 90(1993)119
Zimerman, Z.
Development of large capacity high efficiency mechanical vapor compression (MVC) units 96(1994)51
Zimmerman, Z.
The water factory 88(1992)371
Zoontjes, R.J.C., see Futsellar, H. 90(1993)345
Zydney, A.L., see Palecek, S.P. 90(1993)147